EASTFIELD PARK AGE RESTRICTED, 55+ SENIOR APARTMENTS

EASTFIELD RD


REZONING PETITION RZP. 2021-100

CHARLOTTE **APPROVED BY CITY COUNCIL** February 21, 2022






HUNT



PE

D M 10

IOR APART TERSVILLE, NC		
ETITIONER :	OWNER : PARCEL #02761107	
OONALD M. EDWARD JARK W. TIEDEMANN 0800 ALABASTER DRIVE OAVIDSON, NC 28036 CONTACT: PHONE : 704.519.5607 EMAIL : DON@MWTUSA.COM	DOUBLE M HOLDINGS, LLC 11132 EASTFIELD ROAD HUNTERSVILLE, NC 28078	3827 BILLO ROAD ALDEN, NY, 14004 716-631-0600
WNER : PARCEL #02762105	OWNER : PARCEL #02762105	
ATHERINE JANE MAXWELL 141 BUTTER CHURN LANE 1ATTHEWS, NC 28078	RICHARD BENJAMIN FEWEL 3141 BUTTER CHURN LANE MATTHEWS, NC 28078	
WNER : PARCEL #02762105	OWNER : PARCEL #02762105	
HOMAS M. MAXWELL NDIVIDUALLY AND AS TRUSTEE OF THE AN ALEXANDER MAXWELL IRREVOCABLE RUST	THERESIA H. MAXWELL INDIVIDUALLY AND AS TRUSTEE OF THE IAN ALEXANDER MAXWELL IRREVOCABLE TRUST	PROPOSED: EASTFIELD PARK AGE RESTRICTED 55+ SENIOR
141 BUTTER CHURN LANE 1ATTHEWS, NC 28078	3141 BUTTER CHURN LANE MATTHEWS, NC 28078	EASTFIELD ROAD HUNTERSVILLE, NC, 28078
WNER : PARCEL #02762105	OWNER : PARCEL #02762105	REVISIONS
OHN K. MAXWELL Idividually and as trustee of the dison kimble maxwell irrevocable rust and the oliver kimble faxwell	SANDRA R. MAXWELL INDIVIDUALLY AND AS TRUSTEE OF THE EDISON KIMBLE MAXWELL IRREVOCABLE TRUST AND THE OLIVER KIMBLE MAXWELL	NO. DESCRIPTION DATE B 1. ZONING COMMENTS 9/10/21 A/ 2. ZONING COMMENTS #2 10/6/21 3. ZONING COMMENTS #3 11/11/21 4. ZONING COMMENTS #4 12/10/21 EM 1 Image: Comment S #4 12/10/21 Image: Comment S #4
141 BUTTER CHURN LANE 1ATTHEWS, NC 28078	3141 BUTTER CHURN LANE MATTHEWS, NC 28078	ISSUED FOR: REZONING PETITION RZP. 2021-100
DRAWING INDEX		PROJECT NO.: 20-215
 RZ.1 COVER SHEET RZ.2 CONCEPT SITE PLAN RZ.3 TECHNICAL DATA & METERS AND BOUNDS 		DATE: 12/10/2021 DRAWN BY: WM CHKD. BY: DE
RZ.3 TECHNICAL DATA & M RZ.4 COLORED CONCEPT SI RZ.5 EXTERIOR RENDERING RZ.6 PROPERTY SURVEY (IN	COVER SHEET	
RZ.7 TREE SAVE PLAN	SHEET RZ.1	



GENERAL PROVISIONS DEVELOPMENT DATA $\sim \sim \sim$ THESE DEVELOPMENT STANDARDS FORM A PART OF THE REZONING DEVELOPMENT DATA TABLE THE DEVELOPMENT OF THE SITE WILL BE GOVERNED BY THE REZON AND THE APPLICABLE PROVISIONS OF THE CITY OF CHARLOTTE ZON SITE ACREAGE: 13.37 ACRES TO THE OPTIONAL PROVISIONS SET OUT BELOW, THE REGULATIONS H TAX PARCEL #'S: 02761101 (9.52 ACRES) AND 02762105 (3.85 ACRES) ZONING ORDINANCE. EXISTING ZONING R3 THE DEVELOPMENT DEPICTED ON THE REZONING PLAN IS SCHEMAT R.12 MF (CD) PROPOSED ZONING: GENERAL ARRANGEMENT OF USES AND IMPROVEMENTS ON THE UNDEVELOPED LAND EXISTING USE: PROPOSED USE: AGE RESTRICTED, 55+ SENIOR APARTMENT PLACEMENTS AND SIZES OF THE BUILDING FOOTPRINTS AS WELI PARKING AREAS DEPICTED ON THE REZONING PLAN ARE SCHEMATIC NUMBER OF UNITS: 160 UNITS WITH AN AFFORDABLE MIX THESE DEVELOPMENT STANDARDS AND THE ORDINANCE, AR DENSITY: **12 UNITS PER ACRE** MODIFICATIONS DURING THE DESIGN DEVELOPMENT AND CONSTRUCT PARKING REQUIREMENTS: 240 (1.5 SPACES PER UNIT REQUIRED) SHORT TERM BIKE PARKING: 1 SPACE PER 20 UNITS REQUIRED FUTURE AMENDMENTS TO THE REZONING PLAN AND/OR THESE DEV OPEN SPACE: MIN 50% PROVIDED. WHICH INCLUDES PONDS, TREE SAVE BY THE THEN OWNER OR OWNERS OF THE SITE IN ACCORDANCE WI AREAS, BUFFERS AND GREEN SPACE: ORDINANCE GREEN SPACE WILL INCLUDE RESIDENT RECREATION AREAS MAX BUILDING HEIGHT: THE MAXIMUM HEIGHT OF ALL BUILDINGS WILL BE 45' PERMITTED USES MAX FROM GRADE TO ROOF PEAK SETBACKS: BUILDING AND PARKING THE SITE MAY ONLY BE DEVOTED TO A RESIDENTIAL COMMUNITY CO FRONT: 30' DWELLING UNITS AND TO ANY INCIDENTAL AND ACCESSORIES USES SIDES: 20' THE R-12 MF ZONING DISTRICT. INCIDENTAL AND ACCESSORIES USES REAR: 50' MONUMENTS, PUTTING GREENS, DOG PARK, TENNIS COURT, PICKLE BUILDING SEPARATIONS: 16' MIN REQUIRED FOUNTAINS, FISHING PIER, GREEN HOUSE, VINE YARD, WALK & JOG PA 50' CLASS C UNDISTURBED BUFFER REQUIRED ALONG THE A MINIMUM OF 10 PERCENT OF THE MULTI FAMILY DWELLING UNITS BUFFERS: EAST SIDE ADJACENT TO THE R3 AND MX.2 ZONING 10' MONTHLY RENTS THAT ARE INCOME RESTRICTED TO HOUSEHOLD E CLASS I BUFFER STREET BUFFER ADJACENT TO THE 485 FOR A PERIOD NOT LESS THAN 15 YEARS FROM THE DATE OF THE IS OUTDOORS LIGHTING: AS PER ORDINANCE 12.402 FOR THE BUILDING(S) DWELLING UNITS ARE TO BE DISTRIBUTED T CONVERSATION WITH MILES VAUGHN AND ZELLEKA BIERMAN NEIGHBORHOOD SERVICE ON 8/30/21 ρ RANSPORTATION VEHICULAR ACCESS TO THE SITE SHALL BE AS GENERALLY DEPICTI ARCHITECTURAL STANDARDS AND CONFIGURATION OF THE VEHICULAR ACCESS POINTS ARE SUBJE TO ACCOMODATE FINAL SITE AND CONSTRUCTION PLANS AND DESIG PREFERRED EXTERIOR BUILDING MATERIALS : ALL PRINCIPAL AND ACCESSORY ACCOMODATE FINAL SITE AND CONSTRUCTION PLANS AND DESIGN BUILDINGS ABUTTING A NETWORK REQUIRED PUBLIC OR PRIVATE STREET SHALL APPROVAL BY THE CHARLOTTE DEPARTMENT OF TRANSPORTATION. COMPRISE A MINIMUM OF 30% OF THAT BUILDING'S ENTIRE FACADE FACING SUCH AS DEPICTED ON THE REZONING PLAN, THE SITE WILL BE SERV. NETWORK STREET USING BRICK, NATURAL STONE (OR ITS SYNTHETIC ADJUSTMENTS TO THE LOCATIONS OF THE INTERNAL PRIVATE EQUIVALENT), STUCCO OR OTHER MATERIAL APPROVED BY THE PLANNING CONSTRUCTION PERMITTING PROCESS. DIRECTOR. PROHIBITED EXTERIOR BUILDING MATERIALS : INTERNAL SIDEWALKS AND PEDESTRIAN CONNECTIONS SHALL DEPICTED ON THE REZONING PLAN. THE INTERNAL SIDEWALKS MAY A. VINYL SIDING (BUT NOT VINYL HAND RAILS, WINDOWS OR DOOR TRIM) ALL TŘANSPORTATION IMPROVEMENTS WILL BĚ APPROVED ĂN B. CONCRETE MASONRY UNITS NOT ARCHITECTURALLY FINISHED BUILDING CERTIFICATE OF OCCUPANCY IS ISSUED IS NEEDED. THE P. IMPROVEMENTS IF SAID IMPROVEMENTS AND PHASING ARE EXPLICIT BUILDING PLACEMENT AND SITE DESIGN SHALL FOCUS ON AND ENHANCE THE PEDESTRIAN ENVIRONMENT THROUGH THE FOLLOWING : ALL PUBLIC ROADWAY IMPROVEMENTS WILL BE SUBJECT TO TH NCDOT, AS APPLICABLE, TO THE ROADWAY IMPROVEMENTS WITHIN A. BUILDINGS SHALL BE PLACED SO AS TO PRESENT A FRONT OR SIDE FACADE IT IS UNDERSTOOD THAT SUCH IMPROVEMENTS MAY BE UNDERTA TO ALL NETWORK REQUIRED STREETS (PUBLIC OR PRIVATE) WITH CONJUNCTION WITH OTHER DEVELOPMENT OR ROADWAY PROJECT EXCEPTION OF I.485 CENTRAL MECKLENBURG AREA, BY WAY OF A PRIVATE/PUBLIC PAR B. BUILDINGS SHALL FRONT A MINIMUM OF 60% OF THE TOTAL NETWORK PROJECT SUPPORT. ||REQUIRED STREET FRONTAGE ON THE SITE (EXCLUSIVE OF DRIVEWAYS, // THE DEVELOPER IS COMMITTING TO CONSTRUCTION AND MAINTER PEDESTRIAN ACCESS, POINTS, ACCESSIBLE OPEN SPACE, TREE SAVE OR 12-FOOT MULTI-USE PATHS ON EASTFIELD ROAD AND INDEPENDENCE NATURAL AREAS, TREE REPLANTING AREAS AND STORM WATER FACILITIES) MAINTENANCE AGREEMENT IS REQUIRED WITH CITY. WITH EXCEPTION OF I.485 THE DEVELOPER IS COMMITTING TO CONSTRUCTION AND MAINTI PARKING LOTS SHALL NOT BE LOCATED BETWEEN ANY BUILDING AND ANY CORNER OF INDEPENDENCE HILL ROAD AND EASTFIELD ROAD (BOT NETWORK REQUIRED PUBLIC OR PRIVATE STREET EASTFIELD ROAD HEADING NORTH AT A WIDTH OF 12' FOR EASTFIELD ROAD HEADING NORTH AT A WIDTH AT AT A WIDTH AT AT A WIDTH AT AT AT AT AT D. DRIVEWAYS INTENDED TO SERVE SINGLE UNITS SHALL BE PROHIBITED ON < MAINTENANCE AGREEMENT IS REQUIRED WITH CITY. ALL NETWORK REQUIRED STREETS RIGHT AND LEFT TURN LANES ARE CONCEPTUAL IN NATURE ON T BUILDING MASSING AND HEIGHT SHALL BE DESIGNED TO BREAK UP LONG DESIGNED BY A CIVIL ENGINEER DURING CONSTRUCTION DO MONOLITHIC BUILDING FORMS AS FOLLOWS : REOUIREMENTS. A. BUILDING EXCEEDING 120 FEET IN LENGTH SHALL INCLUDE MODULATIONS OF THE BUILDING MASSING / FACADE PLANE (SUCH AS RECESSES, TRANSPORTATION ADVISORY INFORMATION PROJECTIONS. AND ARCHITECTURAL DETAILS). MODULATIONS SHALL BE A MINIMUM OF 10 FEET WIDE AND SHALL PROJECT OR RECESS A MINIMUM OF 6 THE FOLLOWING ARE REQUIREMENTS OF THE DEVELOPER THAT MUST FEET EXTENDING THROUGH THE BUILDING APPROVAL. THESE REQUIREMENTS SHALL BE REFLECTED ON THE REZONIN ARCHITECTURAL ELEVATION DESIGN - ELEVATIONS SHALL BE DESIGNED TO THE SETBACK FOR THIS DISTRICT IS MEASURED FROM THE BACK CREATE VISUAL INTEREST AS FOLLOW: DETERMINED BY CDOT AND PLANNING DURING THE PERMITTING PRO BUILDING ELEVATIONS SHALL BE DESIGNED WITH VERTICAL BAYS OR CDOT HAS THE AUTHORITY TO REGULATE/APPROVE ALL PRIVA' ARTICULATED ARCHITECTURAL FACADE FEATURES WHICH MAY INCLUDE CONNECTIONS TO THE RIGHT-OF-WAY OF A STREET UNDER THE BUT NOT BE LIMITED TO A COMBINATION OF EXTERIOR WALL OFFSETS, CHARLOTTE, PER THE CITY OF CHARLOTTE'S DRIVEWAY REGULATION PROJECTIONS, RECESSES, PILASTERS, BANDING AND CHANGE IN MATERIALS ADEOUATE SIGHT TRIANGLES MUST BE RESERVED AT THE EXISTING/ OR COLORS SIGHT TRIANGLES (AND TWO 10' X 70' SIGHT TRIANGLES ON NCDOT-M BUILDINGS SHALL BE DESIGNED WITH A RECOGNIZABLE ARCHITECTURAL Β. ENTRANCE(S) TO MEET REQUIREMENTS. ALL PROPOSED TREES, BERI BASE ON ALL FACADES FACING NETWORK REQUIRED PUBLIC OR PRIVATE < SIGNS SHALL NOT INTERFERE WITH SIGHT DISTANCE AT THE ENTRAN STREETS. SUCH BASE MAY BE EXECUTED THROUGH USE OF PREFERRED PLAN. EXTERIOR BUILDING MATERIALS OR ARTICULATED ARCHITECTURAL THE PROPOSED DRIVEWAY CONNECTION(S) TO PUBLIC STREETS W FACADE FEATURES AND COLOR CHANGES SUBMITTED TO CDOT (AND NCDOT ON NCDOT-MAINTAINED STREET BUILDING ELEVATIONS FACING NETWORK REQUIRED PUBLIC OR PRIVATE DRIVEWAY LOCATION(S) AND TYPE/WIDTH OF THE DRIVEWAY(S) STREETS SHALL NOT HAVE EXPANSES OF BLANK WALLS GREATER THAT 20 DRIVEWAY PERMIT PROCESS. THE LOCATIONS OF THE DRIVEWAY(S FEET IN ALL DIRECTIONS AND ARCHITECTURAL FEATURES SUCH AS BUT TO CHANGE IN ORDER TO ALIGN WITH DRIVEWAY(S) ON THE OPPOSITE LIMITED TO BANDING, MEDALLIONS OR DESIGN FEATURES OR MATERIAL DRIVEWAY REGULATIONS AND THE CITY TREE ORDINANCE. WILL BE PROVIDED TO AVOID A STERILE, UNARTICULATED BLANK ALL PROPOSED COMMERCIAL DRIVEWAY CONNECTIONS TO A FUTUR TREATMENT OF SUCH WALLS PERMIT SUBMITTED TO CDOT FOR REVIEW AND APPROVAL. ROOF FORM AND ARTICULATION - ROOF FORM AND LINES SHALL BE DESIGNED TO ANY FENCE OR WALL CONSTRUCTED ALONG OR ADJACENT TO AVOID THE APPEARANCE OF A LARGE MONOLITHIC ROOF STRUCTURE AS REQUIRES A CERTIFICATE ISSUED BY CDOT. FOLLOWS: A RIGHT-OF-WAY ENCROACHMENT AGREEMENT IS REQUIRED FOR A. LONG PITCHED OR FLAT ROOF LINES SHALL AVOID CONTINUOUS EXPANSES WITHOUT VARIATION BY INCLUDING CHANGES IN HEIGHT AND/OR ROOF < ITEM(S) (IRRIGATION SYSTEMS, DECORATIVE CONCRETE PAVE FORM, TO INCLUDE BUT NOT BE LIMITED TO GABLES, HIPS, DORMERS OR PROPOSED/EXISTING CITY MAINTAINED STREET RIGHT-OF-WAY BY HOMEOWNER'S/BUSINESS ASSOCIATION. AN ENCROACHMENT AGREE PARAPETS CONSTRUCTION/INSTALLATION. CONTACT CDOT FOR ADDITIONAL IN B. FOR PITCHED ROOFS THE MINIMUM ALLOWED IS 4:12 EXCLUDING BUILDINGS AND LIABILITY INSURANCE COVERAGE REQUIREMENTS. WITH A FLAT ROOF AND PARAPET WALLS THE PETITIONER NEEDS TO COMPLETE AND SUBMIT THE RIGHT OF W C. ROOF TOP HVAC AND RELATED MECHANICAL EQUIPMENT WILL BE FOR REVIEW. THE DECISION OF THIS REZONING PETITION DOES NO SCREENED FROM PUBLIC VIEW AT GRADE FROM THE NEAREST STREET POSSIBLE ABANDONMENT, AS THIS DECISION IS ISSUED WITHIN TH PROCESS THAT IS CONTROLLED BY NORTH CAROLINA GENERAL STAT MULTI FAMILY BUILDING WITH ELEVATIONS ALONG PUBLIC ROW SHALL HAVE WINDOWS OR OTHER ARCHITECTURAL DETAIL THAT LIMIT THE MAXIMUM BLANK ⁵ TO ATTAIN A STREET AND PEDESTRIAN LIGHTING RECOMMENDAT WALL EXPANSE TO 15 FEET ON EACH LEVEL OF MULTI FAMILY BUILDING WITH ANTHONY MENDEZ, CDOT. PLEASE VISIT THE FOLLOWING LINK SERVICE AREA SCREENING - SERVICE AREAS SUCH AS DUMPSTERS, REFUSE AREAS, HTTP://CHARLOTTENC.GOV/TRANSPORTATION/PROGRAMS/PAGES/STF RECYCLING AND STORAGE SHALL BE SCREENED FROM VIEW WITH MATERIALS AND DESIGN TO BE COMPATIBLE WITH PRINCIPAL STRUCTURES. SUCH DESIGN SHALL INCLUDE A MINIMUM 20 PERCENT PREFERRED EXTERIOR BUILDING STREETSCAPE AND LANDSCAPING MATERIALS OR A CLASS B BUFFER BUT NOT LESS THAN 10' IN DEPTH AT ALL A MINIMUM 8 FOOT WIDE PLANTING STRIP AND A MINIMUM 6 FOOT ABOVE GRADE PERIMETER NOT PAVED FOR ACCESS THE SITE'S PUBLIC STREET FRONTAGES AS GENERALLY DEPICTED ON CONDENSOR UNITS SHALL BE AT GRADE AND SCREENED BY LANDSCAPING. THE SIDEWALKS DESCRIBED ABOVE IN PARAGRAPH 1 MAY BE LOCAT THE ACTUAL WIDTHS OF THE MULTI FAMILY DWELLING UNITS TO BE CONSTRUCTED ON THE SITE MAY VARY FROM THE WIDTHS DEPICTED ON THE REZONING PLAN ENVIRONMENTAL DEVELOPMENT WITHIN ANY SWIM/PCSO BUFFER SHALL BE COORDIN CHARLOTTE-MECKLENBURG STORM WATER SERVICES AND MITIC PETITIONER ACKNOWLEDGES INTERMITTENT/PERENNIAL STREAM REVIEW AND APPROVAL UPON SUBMISSION OF DEVELOPMENT PLAN WITH REZONING DECISIONS. DEVELOPMENT OF THE SITE SHALL COMPLY WITH THE CITY OF CHAR PETITIONER SHALL COMPLY WITH THE CHARLOTTE CITY COUNCIL A STORM WATER ORDINANCE _____ BINDING EFFECT OF THE REZONING DOCUMENTS AND DEFINITIONS

IF THIS REZONING PETITIONS I S APPROVED, ALL CONDITIONS APPLICABLE TO THE USE AND DEVELOPMENT OF THE SITE IMPOSED UNDER THESE DEVELOPMENT STANDARDS AND THE REZONING PLAN WILL, UNLESS AMENDED IN THE MANNER PROVIDED UNDER THE ORDINANCE, BE BINDING UPON AND INURE TO THE BENEFIT OF THE PETITIONER AND THE CURRENT AND SUBSEQUENT OWNERS OF THE SITE AND THEIR RESPECTIVE SUCCESSORS IN

PLAN ASSOCIATED WITH REZONING PETITION. NING PLAN. THESE DEVELOPMENT STANDARDS NING ORDINANCE (THE 'ORDINANCE''). SUBJECT ESTABLISHED UNDER THE CITY OF CHARLOTTE	 INTEREST AND ASSIGNS THROUGHOUT THESE DEVELOPMENT STANDARDS, THE TERM "PETITIONER" SHALL BE DEEMED TO INCLUDE THE HEIRS, DEVISES, PERSONAL REPRESENTATIVES, SUCCESSORS IN INTEREST AND ASSIGNS OF THE PETITIONER OR THE OWNER OF THE SITE FROM TIME TO TIME WHO MAY BE INVOLVED IN ANY FUTURE DEVELOPMENT THEREOF. ANY REFERENCE TO THE ORDINANCE HEREIN SHALL BE DEEMED TO REFER TO THE REQUIREMENTS OF THE ORDINANCE IN EFFECT AS OF THE DATE THIS REZONING RETITION IS APPROVED. 	
TIC IN NATURE AND INTENDED TO DEPICT THE E SITE. ACCORDINGLY, HE CONFIGURATIONS, L AS THE INTERNAL PRIVATE STREETS AND IC IN NATURE AND, SUBJECT TO THE TERMS OF RE SUBJECT TO MINOR ALTERATIONS OR CTION DOCUMENT PHASES. /ELOPMENT STANDARDS MAY BE APPLIED FOR ITH THE PROVISIONS OF SECTION 6.207 OF THE	ORDINANCE IN EFFECT AS OF THE DATE THIS REZONING PETITION IS APPROVED. 4 FIRE REQUIREMENTS 1. FIRE DEPARTMENT ACCESS ROAD WILL BE A MIN. 20' UNOBSTRUCTED CLEAR WIDTH AND WILL BE CAPABLE OF SUPPORTING 80,000 POUNDS. 2. FIRE DEPARTMENT ACCESS ROAD THAT EXCEEDS 150' SHALL PROVIDE AN APPROVED TURNAROUND IS REQUIRED. 3. TURN RADIUS 30' INSIDE AND 42' OUTSIDE IS REQUIRED.	
ONTAINING A MAXIMUM OF 160 MULTI-FAMILY S RELATING THERETO THAT ARE ALLOWED IN S MAY INCLUDE, WITHOUT LIMITATION. ENTRY E BALL, HORSE SHOES, SHUFFLE BOARD, POOL, ATHS.	 THIS BUILDING IS SPRINKLED WITH A NFPA 13R SYSTEM. FIRE DEPARTMENT MUST BE ABLE TO REACH 200' TO ALL EXTERIOR PORTION OF BUILDING. FOR BUILDINGS THAT IS EQUIPPED WITH A SPRINKLER SYSTEM. A FIRE DEPARTMENT CONNECTION SHALL BE LOCATED WITHIN 750' FOR A BUILDING (NFPA 13R SPRINKLER SYSTEM). WATER SERVICE 	
S CONSTRUCTED ON THE SITE SHALL MAINTAIN CARNING 80 % OF THE AREA MERIDIAN INCOME SSUANCE OF THE CERTIFICATE OF OCCUPANCY HROUGHOUT THE DEVELOPMENT. AS PER OUR WITH THE CITY OF CHARLOTTE HOUSING &	 WATER AND SEWER SERVICE IS ACCESSIBLE FOR THIS REZONING BOUNDARY. CHARLOTTE WATER HAS ACCESSIBLE WATER SYSTEM INFRASTRUCTURE FOR THE REZONING BOUNDARY VIA AN EXISTING 24-INCH WATER DISTRIBUTION MAIN LOCATED ALONG EASTFIELD RD. CHARLOTTE WATER HAS ACCESSIBLE SANITARY SEWER SYSTEM INFRASTRUCTURE FOR THE REZONING BOUNDARY VIA AN EXISTING 12-INCH GRAVITY SEWER MAIN LOCATED ALONG EASTFIELD RD. DEVELOPMENT IS ENCOURAGED TO CONTACT INSTALLATION DEVELOPMENT SERVICES AT (704) 336-5499 TO 	
ED ON THE REZONING PLAN. THE PLACEMENT ECT TO ANY MINOR MODIFICATIONS REQUIRED GNS AND TO ANY ADJUSTMENTS REQUIRED TO IS AND TO ANY ADJUSTMENTS REQUIRED FOR VED BY INTERNAL PRIVATE STREETS. MINOR	REVIEW SERVICE CONNECTION DESIGN REQUIREMENTS AND CITY ORDINANCES (E.G., BACKFLOW, SEPARATE METER ORDINANCE, PUBLIC/PRIVATE PIPELINE EXTENSIONS). COMMENTS: WILL NEED TO ACQUIRE CAP. HAS DIRECT ACCESS TO WATER & SEWER. PLEASE NOTE CLT WATER HAS AN EXISTING 12" SEWER MAIN ON THE NORTH EAST PART OF THE PROPERTY NEAR THE EXISTING POND & NO STRUCTURE OF ANY KIND CAN BE LOCATED INSIDE OUR EASEMENT. ALSO, IF GRADING IN THE EXISTING SEWER LOCATION PLEASE SUBMIT PLAN & PROFILE VIEWS TO DONATED PROJECT FOR REVIEW.WILL NEED TO SEND PLANS TO CHARLOTTE WATER FOR PRIVATE WATER PERMITTING. (IF APPLICABLE) WILL NEED TO SEND PLANS TO NCDEQ FOR PRIVATE SEWER PERMITTING. (IF APPLICABLE).	
STREETS SHALL BE ALLOWED DURING THE BE PROVIDED ON THE SITE AS GENERALLY MEANDER TO SAVE EXISTING TREES. D CONSTRUCTED BEFORE THE SITE'S FIRST ETITIONER MAY PHASE THE TRANSPORTATION TLY DESCRIBED IN SITEPLAN NOTES	4. RESERVATION OF SANITARY SEWER SYSTEM CAPACITY THROUGH THE CHARLOTTE WATER'S CAPACITY ASSURANCE PROGRAM IS THE RESPONSIBILITY OF THE CUSTOMER/DEVELOPMENT. CONTACT THE NEW SERVICES GROUP AT (704) 432-2854 FOR FURTHER INFORMATION ONRESERVING CAPACITY UP TO 24 MONTHS.	
IE STANDARDS AND CRITERIA OF CDOT AND THEIR RESPECTIVE ROAD SYSTEM AUTHORITY. AKEN BY THE PETITIONER ON ITS OWN OR IN IS TAKING PLACE WITHIN THE BROAD NORTH RTNERSHIP EFFORT OR OTHER PUBLIC SECTOR		
NANCE OF THE 8-FOOT PLANTING STRIPS AND THE HILL ROAD SINCE PROPERTY IS IN THE ETJ. A		
ENANCE OF TWO NEW CURB RAMPS ON THE H SIDES) AND ONE NEW CURB RAMP TO CROSS EACH TO MATCH THE MULTI-USE PATHS. A		
THE PLANS, BUT ARE REQUIRED AND WILL BE $\langle \rangle$ DCUMENTS TO MEET CITY AND OR STATE \rangle		
T BE SATISFIED PRIOR TO DRIVEWAY PERMIT NG PLAN, AS APPROPRIATE. C OF THE EXISTING OR FUTURE CURBLINE AS OCESS. ATE STREET/DRIVEWAY AND PUBLIC STREET REGULATORY JURISDICTION OF THE CITY OF		
NS. //PROPOSED STREET ENTRANCE(S). TWO 35' X 35' //AINTAINED STREETS) ARE REQUIRED FOR THE RMS, WALLS, FENCES, AND/OR IDENTIFICATION NCE(S) AND SHALL BE IDENTIFIED ON THE SITE		
VILL REQUIRE A DRIVEWAY PERMIT(S) TO BE TS) FOR REVIEW AND APPROVAL. THE EXACT WILL BE DETERMINED BY CDOT DURING THE S) SHOWN ON THE SITE PLAN ARE SUBJECT TO SIDE OF THE STREET AND COMPLY WITH CITY		
RE PUBLIC STREET WILL REQUIRE A DRIVEWAY		
ANY SIDEWALK OR STREET RIGHT-OF-WAY THE INSTALLATION OF ANY NON-STANDARD EMENT, BRICK PAVERS, ETC.) WITHIN A A PRIVATE INDIVIDUAL, GROUP, BUSINESS, OR EMENT MUST BE APPROVED BY CDOT PRIOR TO NFORMATION CONCERNING COST, SUBMITTAL,		
WAY ABANDONMENT PETITION FORM TO CDOT NOT CORRELATE WITH THE DECISION OF THE HE SEPARATE RIGHT OF WAY ABANDONMENT TUTES.		
TION, THE PETITIONER SHOULD COORDINATE K: REETLIGHTING.ASPX		
WIDE SIDEWALK SHALL BE INSTALLED ALONG N THE REZONING PLAN TED IN A SIDEWALK UTILITY EASEMENT		
INATED WITH AND SUBJECT TO APPROVAL BY IGATED IF REQUIRED BY CITY ORDINANCE. A DELINEATION REPORTS ARE SUBJECT TO NS FOR PERMITTING AND ARE NOT APPROVED		
RLOTTE TREE ORDINANCE.		
CABLE TO THE USE AND DEVELOPMENT OF THE E REZONING PLAN WILL, UNLESS AMENDED IN		

3827 BILLO ROAD ALDEN, NY, 14004 716-631-0600
PROPOSED: EASTFIELD PARK AGE RESTRICTED 55+ SENIOR APARTMENTS EASTFIELD ROAD HUNTERSVILLE, NC, 28078
REVISIONS NO. DESCRIPTION DATE BY 1. ZONING COMMENTS 9/10/21 FS 2. ZONING COMMENTS #2 10/6/21 LD 3. ZONING COMMENTS #3 11/11/21 WM 4. ZONING COMMENTS #4 12/10/21 BM 1 Image: Second secon
ISSUED FOR: REZONING PETITION RZP. 2021-100 PROJECT NO.: 20-215 DATE: 12/10/2021 DRAWN BY: WM/FS/AA/LD CHKD. BY: DE
TECHNICAL DATA SHEET RZ.3






\	CLUBHOUSE VIEW

NTS

CONCEPTUAL: DESIGN & STYLE MAY CHANGE







NOTES:

1. IRON PINS SET AT ALL CORNERS UNLESS OTHERWISE NOTED. 2. PROPERTY ZONED: R-3

(SETBACKS & ZONING MATTERS ARE SUBJECT TO INTERPRETATION BY LOCAL MUNICIPALITIES)

6. THIS PROPERTY IS LOCATED WITHIN AN AREA HAVING A ZONE DESIGNATION X BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA), ON FLOOD INSURANCE RATE MAP (FIRM) NO. 3710455900K, WITH A DATE OF IDENTIFICATION OF 9/2/2015.


THAN SHOWN. SURVEY MADE WITHOUT THE BENEFIT OF A TITLE EXAMINATION.

9. NO NCGS MONUMENT FOUND WITHIN 2000'.


10. UTILITY LOCATIONS SHOWN ARE LOCATED BASED ON SITE CONDITIONS AND MARKINGS AT THE TIME OF SURVEY. CONTRACTORS ARE TO HAVE ALL UTILITIES

11. ANY CONSTRUCTION OR USE WITHIN ANY DELINEATED FLOOD AREA IS

14. DISTANCES SHOWN ARE U.S. SURVEY FEET UNLESS OTHERWISE NOTED.



		CURV
CURVE	RADIUS	LENG
C1	2679.23	381.0
C2	11324.16	486.7
С3	11309.03	273.4
C4	635.67	92.2
C5	1298.74	317.0



THE FOLLOWING WAS USED TO ESTABLISH N.C.S.P.C. INFORMATION: (1) CLASS OF SURVEY: A-URBAN LAND SURVEY (2) POSITIONAL ACCURACY: 0.03' (3) TYPE OF GPS FIELD PROCEDURE: STATIC, ONLINE POSITION USER SERVICE (4) DATES OF SURVEY: 12/08/2020 (5) DATUM/EPOCH: NAD 83 (2011), EPOCH 2010 (6) PUBLISHED/FIXED-CONTROL USE: CORS SITES PID DESIGNATION LATITUDE LONGITUDE DISTA DN5840 NCSA NCSA SAUSBURY CORS ARP N354241 692 W0802555 995 LATITUDE LONGITUDE DISTANCE(m) DN5840 NCSA NCSA SALISBURY CORS ARP

DF5880 NCMR MONROE CORS ARP D02638 SCWR WHITE ROSE CORS ARP DK7549 NCST STATESVILLE CORS ARP DG5757 NCLE LEXINGTON CORS ARP DG5755 NCAL ALBEMARLE CORS ARP DG7404 NCSH SHELBY CORS ARP DM3523 NCHI HICKORY CORS ARP

AI4198 HIPT HIGH POINT CORS ARP (7) GEIOD MODEL: GEOID18; NAVD 88 (8) COMBINED GRID FACTOR(S): 0.99984007 (9) UNITS: U.S. SURVEY FEET

N354241.692 W0802555.995 51407.4 N3542854.776 W0803125.790 50370.1 N345857.038 W0811157.440 55416.9 N355119.728 W0805055.477 54111.4 N355119.722 W0803050.477 34111.4 N354853.143 W0801346.202 72459.4 N352017.303 W0801248.524 54635.7 N351653.642 W0812928.115 62378.8 N354431.010 W0811830.934 61085.9 N355756.486 W0800048.937 98145.8

