

PRELIMINARY DRAWING - NOT RELEASED FOR CONSTRUCTION

MCADAMS

The John R. McAdams Company, Inc. 3430 Toringdon Way Suite 110 Charlotte, NC 28277 phone 704. 527. 0800 fax 919. 361. 2269 license number: C-0293, C-187

www.mcadamsco.com

CLIENT

MR. MASON ELLERBE ABACUS CAPITAL 1200 E MOREHEAD STREET, SUITE 280 CHARLOTTE, NORTH CAROLINA 28204



ĹШ ш 2 Σ \sim 1 \Box **A M** J \bigcirc F Ø 0 2 Ž Z Z Σ $\mathbf{0}$ N \frown REZC 28TH 3 \geq

REVISIONS

N0.	DATE	
1	06. 13. 2022	PER CITY/CDOT COMMENTS
2	07. 11. 2022	PER CITY/CDOT COMMENTS
3	08. 15. 2022	PER CITY/CDOT COMMENTS
4	09. 12. 2022	PER CITY/CDOT COMMENTS
5	10. 13. 2022	PER CITY/CDOT COMMENTS

PLAN INFORMATION

SHEET	
DATE	12.09.2021
SCALE	1''=40'
ORAWN BY	JDS
CHECKED BY	EM
ILENAME	ABA-21001X
PROJECT NO.	ABA-21001

REZONING PLAN



	Dianning Dan	ortmont)	<u></u>
OTTE	Planning Depa	artment <u>DEVELOPMENT STANDARDS</u> Petitioner: Abacus Acquisitions, LLC	
	OVED BY CITY COU	2 Rezoning Petition No. 2021-275	{ e
	RZP-2021-275		}
ŀ	Approved: 11/21/2022 Site Development Data:	2	}
	Site Development Data:		}
	Acreage: Tax Parcels:	\pm 7.54 acres	{
	Tax Farcels: Existing Zoning:	079-079-08, 079-079-09, 079-079-10, and 079-079-11 I-1 & R-5	} ;
	Proposed Zoning:	MUDD(CD) Commercial Industrial Residential	
	Existing Uses: Proposed Uses:	Commercial, Industrial, Residential Uses permitted by right and under prescribed conditions together with accessory uses,	}
	Maximum Development:	as allowed in the MUDD zoning district not otherwise limited herein	ii k
	-Maximum Development.	A. Up to 370 stacked multi-family residential units; and	
	Maximum Building Height:	b[31] townhome-style multi-family residential units Maximum of sixty-five (65) feet for multi-family buildings and forty (40) feet for	i
		single-family attached (townhome) buildings, as further restricted below $\frac{1}{1}$	
-	Parking:	As required by the Ordinance for the MUDD zoning district.	Λ
]	I. <u>General Provisions:</u>		<u> </u>
		e Development Standards and the Technical Data Sheet form the rezoning plan (hereafter s the "Rezoning Plan") associated with the Rezoning Petition filed by Abacus Acquisitions,	{ ^{1.}
	LLC ("Petitioner") to acc	commodate development of a mixed residential community on an approximately 7.54-acre	k ii
	site located at the southea Mecklenburg County Tax	ast intersection of North Graham Street and West 28 th Street, more particularly described as a Parcel Numbers 079-079-08, 079-079-09, 079-079-10, and 079-079-11 (the "Site").	```
	•	is intended to accommodate development on the Site of a mixture of residential uses as	{ ii
	c. Zoning Districts/Ordina	ance. Development of the Site will be governed by the Rezoning Plan as well as the	}
	8	he Mecklenburg County Zoning Ordinance (the "Ordinance").	k i
		n establishes more stringent standards, the regulations established under the Ordinance for t shall govern all development taking place on the Site.	}
	C C	pment . The Site shall be viewed as a planned/unified development plan as to the elements	}
	and portions of the Site g	generally depicted on the Rezoning Plan. As such, setbacks, side and rear yards, buffers, on standards, and other similar zoning standards will not be required internally between	\ i
	improvements and other	site elements located on the Site. Furthermore, the Petitioner and/or owner of the Site	
	any such internal separati	vide portions or all of the Site and create lots within the interior of the Site without regard to ion standards, and public/private street frontage requirements, provided, however, that all	
	-	s along the exterior boundary of the Site shall be adhered to and treated as the Site as a portions or lots located therein.	r
]	II. <u>Permitted Uses & Maximum</u>	•	f
		ucted may be developed with up to: 370 stacked multi-family attached residential units and	
(ii) thirty-one (31) townhome-style multi-family units, along with any incidental and accessory uses allowed in the MUDD zoning district.		s-style multi-family units, along with any incidental and accessory uses allowed in the	
]	III. <u>Transportation</u>		
		e as generally depicted on the Rezoning Plan. Temporary construction access may be he vehicular access points as shown. The placements and configurations of the vehicular	
	access points shown on th	ne Rezoning Plan are subject to any minor modifications required to accommodate final site	
	b. The Petitioner shall const	d designs and to any adjustments required by CDOT for approval. truct a minimum twelve (12) foot wide multi-use path and eight (8) foot wide planting strip	
	along the Site's frontage	of Graham Street and a minimum eight (8) foot wide sidewalk and eight (8) foot wide iblic street frontages as well as along both sides of the proposed future public street internal	
	to the Site, as generally de	epicted on the Rezoning Plan.	
	extend the eight (8) foot v	wide sidewalk and eight (8) foot wide planting strip at the southwest corner of the Franklin λ	
		t the extension of Bancroft Street to local residential wide street standards as generally	V. <u>I</u>
	depicted on the Rezoning	Plan. (2)	а
	Graham Street	a minimum forty-four and a half (44.5) feet of right-of-way from the road centerline of 	-
1			-
		the following traffic mitigation measures per the TIS:	
0	1. Install a left turn lane o (storage;)	on the westbound approach of West 28 th Street at North Graham Street with 150 feet of	
	 Install a left turn lane or storage; Modify the traffic signation 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and	b
	 Install a left turn lane or storage; Modify the traffic signation cam 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and	b VI. <u>F</u>
	 Install a left turn lane or storage; Modify the traffic signation cam Install observation cam Upgrade the crossings a intersection to ADA/PR 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street.	b VI. <u>F</u>
	 Install a left turn lane or storage; Modify the traffic signation cam Install observation cam Upgrade the crossings a intersection to ADA/PR 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street.	b VI. <u>F</u> a
	 1. Install a left turn lane of storage; 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 4. S. Add APS push buttons a. Where necessary, the Pet 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte	b VI. <u>H</u> a b
	 1. Install a left turn lane of storage; 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pet before the Site's first built from the back of sidewalk 	al at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte ilding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet c where feasible.	t VI. <u>H</u> a VII. <u>A</u> F
	 1. Install a left turn lane or storage; 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 4. Observation to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first buil from the back of sidewalk b. Unless otherwise stated here 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte ilding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet	b VI. <u>H</u> a VII. <u>A</u> F S
	 1. Install a left turn lane of storage; 2. Modify the traffic signal 5. Add APS push buttons a. Where necessary, the Pet before the Site's first buil from the back of sidewalk b. Unless otherwise stated he of the first building certific c. All public roadway improvision 	al at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. therein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site	t VI. <u>H</u> a VII. <u>A</u> F S VIII.
	 1. Install a left turn lane of storage; 2. Modify the traffic signal 5. Add APS push buttons a. Where necessary, the Pett before the Site's first building certifier to the first building certifier to the roadway improvem may be undertaken by the 	al at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street WAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. erein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, hents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking	b VI. <u>H</u> a VII. <u>A</u> F S VIII. I F
	 1. Install a left turn lane of storage; 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first built from the back of sidewalk b. Unless otherwise stated he of the first building certified to the roadway improvem may be undertaken by the place within the broad no project support. 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street. at the intersection of North Graham Street and West 28 th Street. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. therein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, then the within their respective road system authority. It is understood that such improvements	b VI. <u>H</u> a VII. <u>A</u> F S VIII. I F b
	 1. Install a left turn lane of storage; 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pet before the Site's first built from the back of sidewalk b. Unless otherwise stated he of the first building certified of the first building certified to the roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: 	al at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. terein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, ents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector	b VI. <u>F</u> a VII. <u>A</u> F S VIII. I P b p
	 1. Install a left turn lane of storage: 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PF 4. Upgrade the crossings a intersection to ADA/PF 5. Add APS push buttons a. Where necessary, the Pet before the Site's first built from the back of sidewalk b. Unless otherwise stated he of the first building certified c. All public roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings confor buildings will be a conformation. 	al at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and her at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street WAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte lding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. terein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, thents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector	b VI. <u>F</u> a VII. <u>A</u> F S VIII. I P b
	 1. Install a left turn lane or storage; 2. Modify the traffic signa 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first built from the back of sidewalk b. Unless otherwise stated he of the first building certified for the roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings confor buildings will be a constone, architectural precase 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and era at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street. WAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. terein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, nents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector	b VI. <u>H</u> a VII. <u>A</u> F S VIII. I F b
	 1. Install a left turn lane of storage: 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first buil from the back of sidewalk b. Unless otherwise stated he of the first building certified for the roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed for buildings will be a constone, architectural precase wood/composite wood. Concrete masonry units not be a stone. 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and her at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street COWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. erein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, ents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector st concrete, synthetic stone, stucco/E.I.F.S., cementitious siding (such as hardi-plank), or Vinyl, as a building material, will only be allowed on windows, soffits and trim features. ot architecturally finished shall not be permitted.	b VI. <u>H</u> a VII. <u>A</u> F S VIII. I F b
	 1. Install a left turn lane of storage; 2. Modify the traffic signal 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first buil from the back of sidewalk b. Unless otherwise stated he of the first building certified c. All public roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings confor buildings will be a constone, architectural precase wood/composite wood. Concrete masonry units not b. Meter banks shall be loce 	al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and here at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street cowAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte lding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. ereein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, entitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector onstructed on the Site may use a variety of building materials. The building materials used ombination of any of the following: glass, brick, metal, stone, simulated stone, pre-cast ist concrete, synthetic stone, stucco/E.I.F.S., cementitious siding (such as hardi-plank), or Vinyl, as a building material, will only be allowed on windows, soffits and trim features.	b VI. <u>F</u> a VII. <u>A</u> F S VIII. I F S
	 1. Install a left turn lane of storage; 2. Modify the traffic signa 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pet before the Site's first built from the back of sidewalk b. Unless otherwise stated he of the first building certified c. All public roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings confor buildings will be a construction of the first building certifies wood/composite wood. No concrete masonry units not b. Meter banks shall be loc abutting properties. 1 	at at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. ittioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. erein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, nents within their respective road system authority. It is understood that such improvements or no its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector onstructed on the Site may use a variety of building materials. The building materials used ombination of any of the following: glass, brick, metal, stone, simulated stone, pre-cast ist concrete, synthetic stone, stucco/E.I.F.S., cementitious siding (such as hardi-plank), or Vinyl, as a building material, will only be allowed on windows, soffits and trim features. ot architecturally finished shall not be permitted. cated outside of the setback and screened from view from all public rights-of-way and	b VI. <u>F</u> a VII. <u>A</u> F S VIII. I P b
	 1. Install a left turn lane of storage; 2. Modify the traffic signa 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first buil from the back of sidewalk b. Unless otherwise stated he of the first building certified to the roadway improvem may be undertaken by the place within the broad not project support. IV. Design Guidelines: a. The principal buildings confor buildings will be a constone, architectural precase wood/composite wood. Concrete masonry units not b. Meter banks shall be loce abutting properties. c. Service Area Screening: network required public of the store of	at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte lding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. erein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, hents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector to combination of any of the following: glass, brick, metal, stone, simulated stone, pre-cast is concrete, synthetic stone, stucco/E.I.F.S., cementitious siding (such as hardi-plank), or Vinyl, as a building material, will only be allowed on windows, soffits and trim features. ot architecturally finished shall not be permitted. Cated outside of the setback and screened from view from all public rights-of-way and All dumpster enclosure areas, refuse areas, recycling and storage shall be screened from or private streets, common open spaces and any adjacent residential uses with materials	b VI. <u>F</u> a VII. <u>A</u> F S VIII. I P b
	 1. Install a left turn lane of storage; 2. Modify the traffic signa 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first buil from the back of sidewalk b. Unless otherwise stated he of the first building certified to the roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings construction of buildings will be a construction of the first building certified for buildings will be a construction of the store of the store	at at North Graham Street and West 28 th Street at North Graham Street with 150 feet of al at North Graham Street and West 28 th Street to accommodate the new left turn lane; and hera at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street ROWAG standard ramps. at the intersection of North Graham Street and West 28 th Street. titioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet where feasible. erein, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, hents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector to constructed on the Site may use a variety of building materials. The building materials used ombination of any of the following: glass, brick, metal, stone, simulated stone, pre-cast st concrete, synthetic stone, stucco/E.I.F.S., cementitious siding (such as hardi-plank), or Vinyl, as a building material, will only be allowed on windows, soffits and trim features. ot architecturally finished shall not be permitted. All dumpster enclosure areas, refuse areas, recycling and storage shall be screened from All dumpster enclosure areas, refuse areas, recycling and storage shall be screened from	b VI. <u>F</u> a VII. <u>A</u> F S VIII. I F S
	 1. Install a left turn lane of storage; 2. Modify the traffic signa 3. Install observation cam 4. Upgrade the crossings a intersection to ADA/PR 5. Add APS push buttons a. Where necessary, the Pett before the Site's first buil from the back of sidewalk b. Unless otherwise stated he of the first building certifient c. All public roadway improvem may be undertaken by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: a. The principal buildings conformed by the place within the broad no project support. IV. Design Guidelines: b. Meter banks shall be loce abutting properties. c. Service Area Screening: network required public complimentary to the principal buildings of Class B buffer d. Building Height: As mean place within the place buildings with the place bu	at North Graham Street and West 28 th Street to accommodate the new left turn lane; and era at North Graham Street and West 28 th Street to accommodate the new left turn lane; and era at North Graham Street and West 28 th Street. and ramps at all deficient ramps of the North Graham Street and West 28 th Street (OWAG standard ramps. at the intersection of North Graham Street and West 28 th Street.) ittioner shall dedicate and convey in fee simple all rights-of-way to the City of Charlotte idding certificate of occupancy is issued. CDOT requests right-of-way set at two (2) feet (where feasible. ererin, all transportation improvements shall be substantially completed prior to the issuance icate of occupancy for the Site ovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, hents within their respective road system authority. It is understood that such improvements e Petitioner on its own or in conjunction with other development or roadway projects taking orth Mecklenburg area, by way of a private/public partnership effort or other public sector vinyl, as a building material, will only be allowed on windows, soffits and trim features. ot architecturally finished shall not be permitted. cated outside of the setback and screened from view from all public rights-of-way and All dumpster enclosure areas, refuse areas, recycling and storage shall be screened from or private streets, common open spaces and any adjacent residential uses with materials incipal structure. Such design shall include a minimum 20% Preferred Exterior Building	b VI. <u>F</u> a VII. <u>A</u> F S VIII. I P b

ngle-family attached (townhome-style) buildings shall be a maximum of forty (40) feet.

esign Standards Related to Stacked Multi-Family Residential Uses:

Preferred Exterior Building Materials: All principal and accessory buildings abutting a network required public street shall comprise a minimum of 30% of that building's entire façade facing such public street using brick, natural stone (or its synthetic equivalent), stucco or other material approved by the Planning Director.

. Prohibited Exterior Building Materials: (a) vinyl siding (but not vinyl hand rails, windows or door trim) and (b) concrete masonry units not architecturally finished.

. Building Placement and Site Design: shall focus on and enhance the pedestrian environment through the following:

Buildings shall be placed so as to present a front or side façade to all public streets.

buildings shall front a minimum of 60% of the total public street frontage on the site (exclusive of driveways, edestrian access points, accessible open space, tree save or natural areas, tree replanting areas and storm water acilities).

arking lots shall not be located between any building and network required public street.

Priveways intended to serve single units shall be prohibited on public streets.

Building Massing and Height shall be designed to break up long monolithic building forms as follows:

Building sides greater than 120 feet in length shall include modulations of the building massing/façade plane (such as eccesses, projections, and architectural details). Modulations shall be a minimum of ten (10) feet wide and shall project or recess a minimum of six (6) feet extending through at least a full floor.

Architectural Elevation Design - elevations shall be designed to create visual interest as follows:

building elevations shall be designed with vertical bays or articulated architectural façade features which may arclude but not be limited to a combination of exterior wall offsets, projections, recesses, pilasters, banding and hange in materials or colors.

buildings shall be designed with a recognizable architectural base on facades facing public streets. Such base may e executed through the use of Preferred Exterior Building Materials or articulated architectural façade features nd/or color changes.

building elevations facing public streets shall not have blank wall expanses greater than twenty (20) feet in all irrections and architectural feature such as but not limited to banding, medallions or design features or materials rovided to avoid a sterile, unarticulated blank treatment of such walls.

For the Graham Street frontage, ground floor transparency (measured 3' to 10' from finished grade) shall be a minimum of 60% and upper floor transparency (% wall area of story) shall be a minimum of 25%.

. Roof Form and Articulation: roof form and lines shall be designed to avoid the appearance of a large monolithic roof structure as follows:

or pitched roofs the minimum allowed is 4:12 excluding buildings with a flat roof and parapet walls.

oof top HVAC and related mechanical equipment will be screened from public view at grade from the nearest ublic street.

. Direct pedestrian connections will be provided on all buildings for all frontages. The spacing of entrances shall not exceed 150 feet.

dditional Design Standards for Townhome-Style Units:

Townhome units shall front the public/private streets. No garages or individual driveways of townhome units shall be directly accessed via public streets.

. Pitched roofs, if provided, shall be symmetrically sloped no less than 4:12, except that roofs for porches and attached sheds may be no less than 2:12, unless a flat roof architectural style is employed.

. Usable porches or stoops shall form a predominant feature of the building design for units fronting public streets and shall be located on the front and/or side of the building. Stoops may be covered but shall not be enclosed.

Attached dwelling units shall be limited to a maximum of five (5) units per building or fewer. Multiple five-unit buildings, if provided, shall not occur directly adjacent to each other.

. Corner/end units fronting public streets shall have enhanced side elevations with a front or rear stoop and/or porch or otherwise provide windows or other architectural details to limit the maximum blank wall expanse to ten (10) feet on each level of the unit. If a porch is utilized, it may be located on the second story of such unit.

. For all units, Petitioner shall provide blank wall provisions that limit the maximum blank wall expanse to twenty (20) feet on all building levels, including but not limited to doors, windows, awnings, material or color changes, and/or architectural design elements.

caping, Open Space and Amenity Areas.

etitioner shall provide open spaces throughout the Site per Ordinance standards. At a minimum, the Petitioner shall rovide an amenity area, as generally depicted on the Rezoning Plan, which may include amenities, such as but not mited to, a combination of hardscape and softscape, seating, landscaping, art, fountains, pool, cabana, garden, lubhouse, mail kiosk, dog park, and/or other similar amenities.

etitioner shall provide a minimum 31.5-foot wide Class C buffer area with a berm or 6-foot tall fence adjacent to the -5 zoned properties, as generally depicted on the Rezoning Plan.

onmental Features:

The Petitioner shall comply with the Post Construction Controls Ordinance. The location, size, and type of storm vater management systems that may be depicted on the Rezoning Plan are subject to review and approval as part of ne full development plan submittal and are not implicitly approved with this rezoning. Adjustments may be ecessary in order to accommodate actual storm water treatment requirements and natural site discharge points. he Petitioner shall comply with the Tree Ordinance.

dments to the Rezoning Plan:

amendments to the Rezoning Plan may be applied for by the then Owner or Owners of the applicable Lot of the fected by such amendment in accordance with the provisions herein and of Section 6.207 of the Ordinance.

ling Effect of the Rezoning Application:

Rezoning Petition is approved, all conditions applicable to the development of the Site imposed under the Rezoning vill, unless amended in the manner provided herein and under the Ordinance, be binding upon and inure to the t of the Petitioner and subsequent owners of the Site or Lot(s), as applicable, and their respective heirs, devisees, al representatives, successors in interest or assigns.



The John R. McAdams Company, Inc. 3430 Toringdon Way Suite 110 Charlotte, NC 28277 phone 704. 527. 0800 fax 919. 361. 2269 license number: C-0293, C-187

www.mcadamsco.com

CLIENT

MR. MASON ELLERBE ABACUS CAPITAL 1200 E MOREHEAD STREET, SUITE 280 CHARLOTTE, NORTH CAROLINA 28204





REVISIONS

0.	DATE	
L	06. 13. 2022	PER CITY/CDOT COMMEN
2	07. 11. 2022	PER CITY/CDOT COMMEN
3	08. 15. 2022	PER CITY/CDOT COMMEN


- 4 09. 12. 2022 PER CITY/CDOT COMMENTS
- 5 10. 13. 2022 PER CITY/CDOT COMMENTS

PLAN INFORMATION

PROJECT NO.	ABA-21001
FILENAME	ABA-21001X
CHECKED BY	EM
DRAWN BY	JDS
SCALE	
DATE	12.09.2021
SHEET	

REZONING NOTES







The John R. McAdams Company, Inc 3430 Toringdon Way Suite 110 Charlotte, NC 28277 phone 704. 527. 0800 fax 919. 361. 2269 license number: C-0293, C-187

www.mcadamsco.com

CLIENT

MR. MASON ELLERBE ABACUS CAPITAL 1200 E MOREHEAD STREET, SUITE 280 CHARLOTTE, NORTH CAROLINA 28204





REVISIONS

0.	DATE	
1	06. 13. 2022	PER CITY/CDOT COMMENTS
2	07. 11. 2022	PER CITY/CDOT COMMENTS
3	08. 15. 2022	PER CITY/CDOT COMMENTS

- 4 09. 12. 2022 PER CITY/CDOT COMMENTS
- 5 10. 13. 2022 PER CITY/CDOT COMMENTS

PLAN INFORMATION

SHEET	
DATE	12.09.2021
SCALE	
DRAWN BY	JDS
CHECKED BY	EM
FILENAME	ABA-21001X
PROJECT NO.	ABA-21001

REZONING NOTES

