

D	OWNER	ZONING
33-578	SONIA ELIZABETH GARCIA DE RECINOS	R-6
67-782	CAROLYN BULLOCK	R-6
24-210	CASSANDRA CUNNINGHAM	R-6
04-591	RON & KATHY NORRIS	R-6
64-475	DWIGHT L TOLLIVER	R-6
02-828	SPRING PARK REALTY LLC	R-6
	CRAIG BROWN & MARY H RIGGINS	R-6
50-963	EYEISHA LENNARD	R-6

PROJECT NO.	RLG-21001			
FILENAME	RLG21001-RZ1			
CHECKED BY	EM			
DRAWN BY	JDS			
SCALE	1"=150'			
DATE	03. 28. 2022			
SHEET				

## **DEVELOPMENT STANDARDS** May 16, 2022

## A. General Provisions

- 1. These Development Standards form a part of the Rezoning Plan associated with the Rezoning Petition filed by RD University Oaks, LLC (the "Petitioner") to accommodate the development of a residential community on that approximately 64.048 acre site located on the northwest quadrant of the University City Boulevard - Interstate 85 interchange, which site is more particularly depicted on the Rezoning Plan (the "Site"). The Site is comprised of Tax Parcel No. 047-391-01.
- 2. The development of the Site will be governed by the Rezoning Plan, these Development Standards and the applicable provisions of the City of Charlotte Zoning Ordinance (the "Ordinance").
- Unless the Rezoning Plan or these Development Standards establish more stringent standards, the regulations established under the Ordinance for the R-12 MF zoning district shall govern the development and use of the Site. Notwithstanding the foregoing, Petitioner reserves the right to pursue variances from the Board of Adjustment.
- 4. For entitlement purposes, the Site is divided into two development areas that are designated on the Rezoning Plan as Development Area A and Development Area B.
- The principal multi-family buildings shall be located within the multi-family building envelopes in Development Area A, and the principal single family attached buildings shall be located within the townhome building envelopes in Development Area B. Parking and accessory structures may also be located within the multi-family building envelopes and the townhome building envelopes. Amenity buildings and structures may be located in the amenity areas. Subject to paragraphs B.1.(a) and B.2.(a) below, the number of principal buildings, accessory structures and parking areas that may be located on the Site shall be governed by the applicable provisions of the Ordinance
- 5. The schematic depictions of the uses, sidewalks, driveways, parking areas, streets, development area boundaries and other development matters and site elements (collectively the "Development/Site Elements") set forth on the Rezoning Plan should be reviewed in conjunction with the provisions of these Development Standards. The layout, locations, sizes and formulations of the Development/Site Elements depicted on the Rezoning Plan are graphic representations of the Development/Site Elements proposed. Changes to the Rezoning Plan not anticipated by the Rezoning Plan will be reviewed and approved as allowed by Section 6.207 of the Ordinance.

Since the project has not undergone the design development and construction phases, it is intended that this Rezoning Plan provide for flexibility in allowing some alterations or modifications from the graphic representations of the Development/Site Elements. Therefore, there may be instances where modifications will be allowed without requiring the administrative amendment process per Section 6.207 of the Ordinance. These instances would include changes to graphics if they are:

- (1) Minor and do not materially change the overall design intent depicted on the Rezoning Plan. The Planning Director will determine if such minor modifications are allowed pursuant to this amendment process, and if it is determined that the alteration does not meet the criteria described above, Petitioner shall then follow the administrative amendment process pursuant to Section 6.207 of the Ordinance in each instance, however, subject to Petitioner's appeal rights set forth in the Ordinance.
- 6. Future amendments to the Rezoning Plan and/or these Development Standards may be applied for by the then owner or owners of the Site in accordance with the provisions of Section 6.207 of the Ordinance.

### **B.** Permitted Uses/Development Limitations

### Development Area A

(a) That portion of the Site designated as Development Area A on the Rezoning Plan may only be devoted to a residential community containing a maximum of 450 multi-family dwelling units and to any incidental or accessory uses associated therewith that are permitted under the Ordinance in the R-12 MF zoning district. Incidental and accessory uses may include, without limitation, a leasing and management office and amenities such as a fitness center, clubhouse, swimming pool, docks, dog parks and outdoor cooking areas.

### **Development Area B**

- (a) That portion of the Site designated as Development Area B on the Rezoning Plan may only be devoted to a residential community containing a maximum of 150 single family attached dwelling units and to any incidental or accessory uses associated therewith that are permitted under the Ordinance in the R-12 MF zoning district.
- Accessory structures, such as freestanding garages associated with the multi-family dwelling units, may be developed on the Site.

### C. <u>Transportation</u>

- 1. Vehicular access to the Site shall be as generally depicted on the Rezoning Plan. The placement and configuration of the vehicular access points are subject to any minor modifications required to accommodate final site and construction plans and designs and to any adjustments required for approval by the Charlotte Department of Transportation ("CDOT") and/or the North Carolina Department of Transportation ("NCDOT").
- 2. The Site will be served by internal private streets, drives and alleys. Minor adjustments to the locations of the internal private streets, drives and alleys shall be allowed during the construction permitting process.
- Subject to the approval of CDOT and any other governmental agencies, Petitioner shall, prior to the issuance of the first certificate of occupancy for a new building constructed on the Site, construct an ADA compliant bus waiting pad per land development standard 60.01B on the Site's frontage on Neal Road. The exact location of the waiting pad shall be determined during the site design and permitting process, and the waiting pad shall be located entirely within right of way. In the event that Petitioner cannot obtain all approvals and permits required to construct the waiting pad, then Petitioner shall have no obligation to construct the waiting pad. CATS shall be responsible for the installation and maintenance of a bench or shelter on the waiting pad.
- Prior to the issuance of the first certificate of occupancy for a new building constructed on the Site, Petitioner shall dedicate and convey to the City (subject to a reservation for any necessary utility easements) those portions of the Site located immediately adjacent to Neal Road as required to provide right of way measuring 35 feet from the existing centerline of Neal Road, to the extent that such right of way does not already exist.
- Curb and gutter shall be installed along that portion of the Site's frontage on University City Boulevard that is more particularly depicted on the Rezoning Plan.

- Access A shall either be a right-in, r 1 in the Traffic Impact Study) Scenario 2 in the Traffic Impact St the required transportation improven
- Access A shall be a median divided
- Access B on Neal Road shall be a ful
- Access C shall be a right-in, right-ou
- 10. Any reference to the term "substa Standards shall mean a determination improvements are deemed "substa certificates of occupancy for build non-essential roadway improvement at the time that Petitioner seeks to o then CDOT will instruct applicable a for the applicable buildings, and in credit or a bond for any improveme are issued to secure the completion o
- Those transportation improvements Improvements shall be substantially occupancy for a new building Development Area A. Those transpo Transportation Improvements shall certificate of occupancy for a new constructed in Development Area B.

(a) University City Boulevard & I-85

Phase 1 Improvements (Scenario 1 a

(1) No improvements.

Phase 2 Improvements (Scenario 1 a

- (1) No improvements.
- (b) University City Boulevard & I-85

Phase 1 Improvements (Scenario 1 at

(1) No improvements.

Phase 2 Improvements (Scenario 1 a

- (1) No improvements.
- (c) University City Boulevard & Neal

Phase 1 Improvements (Scenario 1 at

(1) No improvements.

Phase 2 Improvements (Scenario 1 a

- (1) Construct an additional southbound utilizing the existing pavement v southbound left turn signal phasing r
- (d) University City Boulevard & Offsi

Phase 1 Improvements (Scenario 1)

- (1) One ingress and one egress lane (a t
- (2) Construct a westbound right turn land
- (3) 100-foot internal protected stem.
- Phase 1 Improvements (Scenario 2)
- (1) One ingress and one egress lane (a t
- { (2) Construct a westbound right turn land
- (3) Construct an eastbound left turn lane
- (4) 100-foot internal protected stem.

Phase 2 Improvements (Scenario 1 a

- (1) The intersection configurations rema
- (e) Neal Road & Rumstone Lane/Acce

Phase 1 Improvements (Scenario 1 and

(1) One ingress and two egress lanes (a westbound left turn lane with 100 fee

~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	/ \		
ight-out, left-in vehicular access point ( <b>defined as Scenario</b> <u>or</u> a right-in, right-out vehicular access point ( <b>defined as tudy</b> ). As set out below in paragraph 11, in some instances nents are different under each scenario.		Remark existing painted median for southbound left turn lane on Neal Road and maximize storage.	} (
entrance.	(3)	100-foot internal protected stem.	2
ll movement vehicular access point.	}	Phase 2 Improvements (Scenario 1 and Scenario 2)	{ (
it vehicular access point.	<b>(</b> 1)	The intersection configurations remain the same as noted above for Phase 1 (Scenarios 1 and 2).	• •
ntially complete" in this Section C of the Development on by CDOT and/or NCDOT that the applicable roadway antially complete" for the purpose of the issuance of	}	University City Boulevard & U-Turn Bulb (Unsignalized) [Scenario 2 Only]	}
ling(s) on the Site. However, in the event that certain ts (as reasonably determined by CDOT) are not completed btain a certificate of occupancy for building(s) on the Site		Phase 1 Improvements (Scenario 2)	
suthorities to allow the issuance of certificates of occupancy such event Petitioner may be required to post a letter of	<b>}</b> (1)	Construct an adequate westbound U-turn lane on University City Boulevard with 225 feet of	<b>}</b> (
ents not in place at the time such certificates of occupancy of the relevant improvements.		storage designed to accommodate an SU-30 at the minimum.	(
s set out below designated as Phase 1 Transportation complete prior to the issuance of the first certificate of		Phase 2 Improvements (Scenario 2)	
containing multi-family dwelling units constructed in ortation improvements set out below designated as Phase 2	(1)	The intersection configurations remain the same as Phase 1	} (
be substantially complete prior to the issuance of the first building containing single family attached dwelling units	>	University City Boulevard & Offsite Access/Access C (Unsignalized)	
Northbound Ramps (Signalized)		Phase 1 Improvements (Scenario 1 and Scenario 2)	
nd Seenaria 2)	(1)	No improvements.	▲ ∧ (
nd Scenario 2)		Phase 2 Improvements (Scenario 1 and Scenario 2)	
	<b>(</b> 1)	One ingress and one egress lane (a terminating southbound right turn lane on proposed Access	<pre>{     (')     (') </pre>
nd Scenario 2)		C).	
	<b>{</b> (2)	Construct a westbound right turn lane on University City Boulevard with 100 feet of storage.	
Southbound Ramps (Signalized)	(3)	100-foot internal protected stem.	
nd Scenario 2)	12.	A sidewalk shall be provided on the south side of Private Road A only.	{
	<b>}</b> 13.	Petitioner shall dedicate and convey all relevant right of way to the City of Charlotte prior to the issuance of the first certificate of occupancy for a new building constructed on the Site. The	
nd Scenario 2)		right of way shall be setback 2 feet behind the back of sidewalk where feasible. If it is not feasible, the sidewalks, or portions thereof, may be located in a sidewalk utility easement.	
	<b>}</b>	All public roadway improvements will be subject to the standards and criteria of CDOT	<b>1</b>
Road (Signalized)	}	NCDOT, as applicable, to the roadway improvements within their respective road system authority. It is understood that such improvements may be undertaken by Petitioner on its own	
nd Scenario 2)	}	or in conjunction with other development or roadway projects taking place within the broad northeastern Mecklenburg area, by way of a private/public partnership effort or other public	
	٤	sector project support.	) { 3
nd Scenario 2)	D. 1.	<u>Architectural Standards</u> Multi-Family Buildings	
d left turn lane on Neal Road with 190 feet of storage	(2)	The maximum height of the multi-family buildings constructed on the Site shall be governed by	
vidth where available and ensure the northbound and un concurrently.		the Ordinance. The architectural and design standards set out below shall apply to the multi-family buildings	
		constructed on the Site.	}
ite Access/Access A (Unsignalized)		Prohibited Exterior Building Materials: Vinyl siding (but not vinyl hand rails, windows, doors, garage doors or door trim).	}
		Concrete Masonry Units not architecturally finished.	
A second design of the second	(2)		
erminating southbound right turn lane on proposed Access	(2)	Building Placement and Site Design shall focus on and enhance the pedestrian environment through the following:	}
			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
		through the following:	22
	(aa) (3)	<ul><li>through the following:</li><li>Driveways intended to serve single units shall be prohibited on all network required streets.</li><li>Building Massing and Height shall be designed to break up long monolithic building forms as</li></ul>	
terminating southbound right turn lane on proposed Access e on University City Boulevard with 100 feet of storage.	(aa) (3) (aa)	<ul><li>through the following:</li><li>Driveways intended to serve single units shall be prohibited on all network required streets.</li><li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li><li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li></ul>	
e on University City Boulevard with 100 feet of storage.	(aa) (3) (aa) (4)	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> </ul>	
e on University City Boulevard with 100 feet of storage.	(aa) (3) (aa) (4) (aa)	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> <li>Building elevations shall be designed with vertical bays or articulated architectural facade features which may include but not be limited to a combination of exterior wall offsets, projections, recesses, pilasters, banding and change in materials or colors.</li> </ul>	
	(aa) (3) (aa) (4) (aa)	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> <li>Building elevations shall be designed with vertical bays or articulated architectural facade features which may include but not be limited to a combination of exterior wall offsets,</li> </ul>	
e on University City Boulevard with 100 feet of storage. terminating southbound right turn lane on proposed Access e on University City Boulevard with 100 feet of storage.	(aa) (3) (aa) (4) (aa) (bb)	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> <li>Building elevations shall be designed with vertical bays or articulated architectural facade features which may include but not be limited to a combination of exterior wall offsets, projections, recesses, pilasters, banding and change in materials or colors.</li> <li>Buildings shall be designed with a recognizable architectural base on all facades facing network required public or private streets. Such base may be executed through the use of masonry or stone veneer, changes in material or articulated architectural facade features and color changes.</li> <li>Building elevations facing retwork required public or private streets shall not have expanses of blank walls greater than 20 feet in all directions and architectural features such as but not limited to banding, medallions or design features or materials will be provided to avoid a sterile,</li> </ul>	1
e on University City Boulevard with 100 feet of storage. eerminating southbound right turn lane on proposed Access e on University City Boulevard with 100 feet of storage.	(aa) (3) (aa) (4) (aa) (bb)	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> <li>Building elevations shall be designed with vertical bays or articulated architectural facade features which may include but not be limited to a combination of exterior wall offsets, projections, recesses, pilasters, banding and change in materials or colors.</li> <li>Buildings shall be designed with a recognizable architectural base on all facades facing network required public or private streets. Such base may be executed through the use of masonry or stone veneer, changes in material or articulated architectural facade features and color changes.</li> <li>Building elevations facing retwork required public or private streets shall not have expanses of blank walls greater than 20 feet in all directions and architectural features such as but not</li> </ul>	1 1
e on University City Boulevard with 100 feet of storage. Terminating southbound right turn lane on proposed Access e on University City Boulevard with 100 feet of storage.	<ul> <li>(aa)</li> <li>(3)</li> <li>(aa)</li> <li>(4)</li> <li>(aa)</li> <li>(bb)</li> <li>(cc)</li> <li>(5)</li> </ul>	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> <li>Building elevations shall be designed with vertical bays or articulated architectural facade features which may include but not be limited to a combination of exterior wall offsets, projections, recesses, plasters, banding and change in materials or colors.</li> <li>Buildings shall be designed with a recognizable architectural base on all facades facing network required public or private streets. Such base may be executed through the use of masonry or stone veneer, changes in material or articulated architectural facade features and color changes.</li> <li>Building elevations facing pretwork required public or private streets shall not have expanses of blank walls greater than Offeet in all directions and architectural features such as but not limited to banding, medallions or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls.</li> <li>Roof Form and Articulation - roof form and lines shall be designed to avoid the appearance of a large monolithic roof structure as follows:</li> </ul>	
e on University City Boulevard with 100 feet of storage. Reminating southbound right turn lane on proposed Access e on University City Boulevard with 100 feet of storage. c on University City Boulevard with 250 feet of storage <u>ind Scenario 2)</u> in the same as noted above for Phase 1 (Scenarios 1 and 2).	<ul> <li>(aa)</li> <li>(3)</li> <li>(aa)</li> <li>(4)</li> <li>(aa)</li> <li>(bb)</li> <li>(cc)</li> <li>(5)</li> </ul>	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> <li>Building elevations shall be designed with vertical bays or articulated architectural facade features which may include but not be limited to a combination of exterior wall offsets, projections, recesses, pilasters, banding and change in materials or colors.</li> <li>Buildings shall be designed with a recognizable architectural base on all facades facing network required public or private streets. Such base may be executed through the use of masonry or stone veneer, changes in material or articulated architectural features and color changes.</li> <li>Building elevations facing petwork required public or private streets shall not have expanses of blank walls greater than 20 feet in all directions and architectural features such as but not limited to banding, medallions or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls.</li> <li>Roof Form and Articulation - roof form and lines shall be designed to avoid the appearance of a</li> </ul>	
e on University City Boulevard with 100 feet of storage. terminating southbound right turn lane on proposed Access e on University City Boulevard with 100 feet of storage.	<ul> <li>(aa)</li> <li>(3)</li> <li>(aa)</li> <li>(4)</li> <li>(aa)</li> <li>(bb)</li> <li>(cc)</li> <li>(5)</li> <li>(aa)</li> </ul>	<ul> <li>through the following:</li> <li>Driveways intended to serve single units shall be prohibited on all network required streets.</li> <li>Building Massing and Height shall be designed to break up long monolithic building forms as follows:</li> <li>Buildings exceeding 120 feet in length shall include one or more modulations of the building massing/facade plane (such as recesses, projections, and architectural details). Modulations shall be a minimum of 10 feet wide and shall project or recess a minimum of 2 feet extending through the building.</li> <li>Architectural Elevation Design - elevations shall be designed to create visual interest as follows:</li> <li>Building elevations shall be designed with vertical bays or articulated architectural facade features which may include but not be limited to a combination of exterior wall offsets, projections, recesses, pilasters, banding and change in materials or colors.</li> <li>Building shall be designed with a recognizable architectural base on all facades facing network required public or private streets. Such base may be executed through the use of masonry or stone veneer, changes in material or articulated architectural features such as but not limited to banding, medallions or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls.</li> <li>Roof Form and Articulation - roof form and lines shall be designed to avoid the appearance of a large monolithic roof structure as follows:</li> <li>Long pitched or flat roof lines shall avoid continuous expanses without variation by including changes in height and/or roof form, to include but not be limited to gables, hips, dormers or</li> </ul>	2 3

(6) Service Area Screening - service areas such as dumpsters, refuse areas, recycling and storage shall be screened from view with materials and design to be compatible with principal structures. Such design shall include a minimum 20 percent masonry veneer or a Class B buffer not less than 10' in depth at all above grade perimeters not paved for access.

### Single Family Attached Dwelling Units

(a) The maximum height of the single family attached dwelling units constructed on the Site shall be governed by the Ordinance.

(b) The architectural and design standards set out below shall apply to the single-family attached dwelling units constructed on the Site.

(1) The single family attached dwelling units adjacent to University City Boulevard shall front University City Boulevard, and the single family attached dwelling units adjacent to Neal Road shall front Neal Road.

(2) The primary exterior building materials shall be some combination of the following: brick veneer or similar masonry products, stone, manufactured stone, stucco and cementitious siding.

(3) Vinyl may not be used as an exterior building material. Notwithstanding the foregoing, vinyl may be utilized on windows, doors, garage doors, soffits, trim and railings.

# (4) Pitched roofs shall be provided. $\frac{1}{1}$

(5) All corner or end single family attached dwelling units that face a public or private street shall have a porch or stoop that wraps a portion of the front and side of the unit or provide blank wall provisions that limit the maximum blank wall expanse to 12 feet on all building levels.

(6) Buildings containing single family attached dwelling units that are adjacent to University City Boulevard shall not contain more than 5 individual single family attached dwelling units, and buildings containing single family attached dwelling units that are adjacent to Neal Road shall not contain more than 5 individual single family attached dwelling units. This requirement shall not apply to buildings that are not adjacent to University City Boulevard or Neal Road.

(7) Each single family attached dwelling unit shall have a garage.

#### 8) Garage doors shall contain decorative features.

(9) Walkways shall be provided to connect all residential entrances to sidewalks along public and private streets.

(10) To provide privacy, all residential entrances within 15 feet of the sidewalk along Private Road A, 15 feet of the sidewalk along Private Road B, 15 feet of the sidewalk along Neal Road or 15 feet of the sidewalk along University City Boulevard shall be raised from the average sidewalk grade a minimum of 24 inches.

(11) Each single family attached dwelling unit shall have a covered front stoop. The front stoop may be covered by an awning, canopy, roof extension or other architectural feature chosen by Petitioner.

#### <u>Streetscape</u>

Petitioner shall install a minimum 8 foot wide planting strip and a minimum 8 foot wide sidewalk along the Site's frontage on Neal Road.

2. A sidewalk shall be installed on the south side of Private Road A only

#### Environmental

Petitioner shall comply with the Charlotte City Council approved and adopted Post Construction Controls Ordinance.

2. The location, size, and type of storm water management systems depicted on the Rezoning Plan are subject to review and approval as part of the full development plan submittal and are not implicitly approved with this rezoning. Adjustments may be necessary in order to accommodate actual storm water treatment requirements and natural site discharge points. Development of the Site shall comply with the Tree Ordinance.

**Open Space/Amenities** 

Open space areas and amenity areas are depicted and described on the Rezoning Plan.

#### Greenway

Prior to the issuance of a certificate of occupancy for the 300th dwelling unit constructed on the Site, Petitioner shall dedicate and convey to Mecklenburg County for future greenway purposes the 100 foot PCSO Buffer on the Site (the "Greenway Area"), which Greenway Area is depicted on the Rezoning Plan. Prior to the dedication and conveyance of the Greenway Area to Mecklenburg County, Petitioner shall have the right to install and locate utility lines through such Greenway Area and to reserve such easements over such Greenway Area that are necessary to maintain, repair and replace such utility lines, and to reserve such other easements as may be reasonably necessary in connection with the development of the Site as long as these easements and utility lines do not interfere with the construction and maintenance of the greenway. Any easements must be reviewed by Mecklenburg County prior to the dedication of the Greenway Area to Mecklenburg County.

Subject to the approval of Mecklenburg County and any other applicable governmental agencies, Petitioner shall construct and install within and through the Greenway Area a greenway trail from Private Road A to the northern boundary of the Site as generally depicted on the Rezoning Plan (the "Greenway Trail"). Notwithstanding the foregoing, the actual and ultimate location of the Greenway Trail between Private Road A and the northern boundary of the Site shall be determined in conjunction with Mecklenburg County during the permitting process. The Greenway Trail shall be constructed in accordance with Mecklenburg County's greenway trail standards, and the Greenway Trail shall be constructed and installed prior to the issuance of a certificate of occupancy for the  $400^{\text{th}}$  dwelling unit constructed on the Site. In the event that Petitioner cannot obtain all approvals and permits required to construct and install the Greenway Trail, then Petitioner shall have no obligation to construct and install the Greenway Trail.

Public access easements shall be provided over and across Private Road A and Private Road B and the sidewalks along these private roads to provide pedestrian access from Neal Road and University City Boulevard to the Greenway Trail.

**Binding Effect of the Rezoning Documents and Definitions** 

If this Rezoning Petition is approved, all conditions applicable to the use and development of the Site imposed under these Development Standards and the Rezoning Plan will, unless amended in the manner provided under the Ordinance, be binding upon and inure to the benefit of Petitioner and the current and subsequent owners of the Site and their respective successors in interest and assigns.

Throughout these Development Standards, the term "Petitioner" shall be deemed to include the heirs, devisees, personal representatives, successors in interest and assigns of Petitioner or the owner or owners of the Site from time to time who may be involved in any future development thereof.

Any reference to the Ordinance herein shall be deemed to refer to the requirements of the Ordinance in effect as of the date this Rezoning Petition is approved.



The John R. McAdams Company, Inc 3430 Toringdon Way Suite 110 Charlotte, NC 28277 phone 704. 527. 0800 fax 919. 361. 2269 license number: C-0293, C-187

www.mcadamsco.com

 $\square$ Ζ

4

BL

>

Ζ

Ο

Ŭ

Ζ

58 D A

< 5

**Z** 

Ο Ч Й

ETITION VERSITY

Ш

**>** U

Z

REZOI RNER (

ZŌ

Z

Ú # Ü

4

0

### CLIENT

**RD UNIVERSITY OAKS, LLC** 101 S. TRYON ST, SUITE 2700 CHARLOTTE, NORTH CAROLINA 28280

# REVISIONS

NO. DATE

1 05. 16. 2022 PER CITY/CDOT COMMENTS

### **PLAN INFORMATION**

PROJECT NO.	RLG-21001			
FILENAME	RLG21001-RZ1			
CHECKED BY	EM			
DRAWN BY	JDS			
SCALE				
DATE	03. 28. 2022			
SHEET				

**REZONING NOTES** 

