

MECKLENBURG COUNTY Land Use & Environmental Services Agency

MEMORANDUM

To: Charlotte-Mecklenburg Planning Commission

From: LUESA, Mecklenburg County

Date: 4.27.23

Subject: Rezoning Petition Comments

Charlotte-Mecklenburg Planning Commission 600 East Fourth Street Charlotte, North Carolina 28202

Mecklenburg County has reviewed the City of Charlotte rezoning petition below to identify regulatory requirements of the petitioner; inform the petitioner, planning staff, and other affected parties of such regulatory requirements; and identify potential effects on, and impacts from, nearby properties.

Petitioner Information:	Parcel GIS ID(s):
Mecklenburg County	06907319
MECKLENBURG COUNTY, c/o Steve Wallace	
600 E 4TH ST 11TH FLOOR	
CHARLOTTE, NC, 28202	
Home Phone:	
7045645563	
Mobile Phone:	
7045645563	
steven.wallace@mecklenburgcountync.gov	

2022-217: Mecklenburg Facility Based Crisis Center

Air Quality Comments: No comments on this petition.

Ground Water Services Comments:

Groundwater & Wastewater Services records indicate contamination site(s) exist on or within 1,500 feet of the property included in the petition. An established Area of Regulated Groundwater Usage (ARGU) as defined by the Mecklenburg County Groundwater Well Regulations extends 1,500 feet around the contamination sites. In an ARGU where municipally supplied water is available water supply wells for potable water supply, irrigation or open loop geothermal systems may not be permitted or constructed on

or within 1,000 feet of contamination sites. Wells may be permitted with special construction and sampling requirements between 1,000 and 1,500 feet of contamination sites.

Review of NCDEQ records indicates NCDEQ UST Section Incident 16873, Royster Guano Fertilizer Plant is documented at this location. Any development on this parcel should comply with applicable NCDEQ requirements for management of these contamination incidents. Pls contact Dan Bowser at 704.663.1699 or at dan.bowser@ncdenr.gov for more info.

Subsurface Investigation Permits (SIPs) 70000917 was issued for this location. Four monitoring wells are registered to this SIP with two designated as permanently abandoned. If any MWs are identified within the project boundary GWS recommends that the petitioner either protect the wells from damage by flagging and fencing during site development or permanently abandon the wells per the Mecklenburg County Groundwater Well Regulations prior to any demolition or grading activity occurring and conduct survey to locate the monitoring wells. A current SIP from GWS is required for permanent well abandonments. The abandonments must be completed by a North Carolina Certified Well Contractor.

Storm Water Services Comments: No Comments

Solid Waste Comments: No Comments

Department Contacts:

Petitioners seeking to address individual comments and issues may follow up with the following Mecklenburg County staff:

Air Quality Comments: PJ McKenzie - (paul.mckenzie@mecklenburgcountync.gov)

Ground Water Services: Shawna Caldwell - (shawna.caldwell@mecklenburgcountync.gov)

Storm Water Services: Myrette Stephen - (myrette.stephen@mecklenburgcountync.gov)

Solid Waste Comments: Joe Hack - (joe.hack@mecklenburgcountync.gov)

Additionally, please CC Erin Stanforth, (erin.stanforth@mecklenburgcountync.gov) on all communications to individual departments.

MCAQ Scope of Review:

Mecklenburg County Air Quality (MCAQ) has reviewed the petitions with regard to air quality regulations for stationary sources and demolition and/or renovation of structures (e.g. National Emission Standards for Hazardous Air Pollutants for asbestos). Comments may also be made regarding incompatible land uses, sources of Toxic Air Pollutants, proximity to Risk Management Plan facilities, and proximity to known nuisance conditions or sensitive populations. MCAQ has conducted the review based on information submitted by the petitioner, review of aerial photographs (as available through the Mecklenburg County Polaris system), review of the "Air Pollution Facility Information Online" database available from the MCAQ website, and review of Mecklenburg County Health Department records. The review is cursory based on limited information provided within petition applications and site plans.