


1	029-111-04	1124 GALLOWAY LLC	35717-456	R-12MF(CD)	SINGLE FAMILY RESIDENTIAL
2	029-111-07	ALEXANDERIA AMITY AMORIM, ROBERT PROCTOR CARTER	22199-692	R-8MF(CD)	SINGLE FAMILY RESIDENTIAL
3	029-111-08	ADAMS PLACE PROPERTIES LLC	31129-34	R-8MF(CD)	MULTI-FAMILY
4	029-112-11	ADAMS PLACE PROPERTIES LLC	19554-675	R-8MF(CD)	CONDOMINIUM
5	029-651-03	MALLARD GLEN APARTMENTS LLC	17644-74	R-12MF(CD)	MULTI-FAMILY
6	029-653-86	TOWNHOMES OWNERS ASSOC, MALLARD GLENN VILLAGE	19549-95	R-12MF(CD)	TOWNHOUSE COMMON AREA
7	029-653-77	TOWNHOMES OWNERS ASSOC, MALLARD GLENN VILLAGE	13234-764	R-12MF(CD)	TOWNHOUSE COMMON AREA
8	029-032-45	SACHELL TATIANA DUPREE	26434-670	R-12MF(CD)	CONDOMINIUM
9	029-031-93	CHARLOTTTE NC HERITAGE PROPERTIES I K6 LLC	35416-403	R-12MF(CD)	NA
10	029-031-94	CHARLOTTTE NC HERITAGE PROPERTIES I K6 LLC	35416-403	R-12MF(CD)	NA
(11)	029-031-29	JERRY L ALEXANDER	08353-260	R-3	SLIVERS
(12)	029-041-33	GARY A ALEXANDER	06025-981	R-3	SINGLE FAMILY RESIDENTIAL
(13)	029-041-30	GARY AND SHIRLEY ALEXANDER	04541-925	R-3	SINGLE FAMILY RESIDENTIAL
(14)	029-041-39	BRANDON B ALEXANDER	17392-793	R-3	SINGLE FAMILY RESIDENTIAL
(15)	029-041-23	ASHA CALDWELL	03147-159	R-3	SINGLE FAMILY RESIDENTIAL
(16)	029-041-24	TREATIE IRENE ALEXANDER	08391-428	R-3	SINGLE FAMILY RESIDENTIAL
(17)	029-041-09	ANTHONY CURETON	954-122	R-3	SINGLE FAMILY RESIDENTIAL
(18)	029-041-21	PEARL MCLAUGHLIN BLAIR	03111-057	R-3	SINGLE FAMILY RESIDENTIAL
(19)	029-111-01	DONNIEHUE PATTERSON	08391-059	R-3	SINGLE FAMILY RESIDENTIAL


10/17/2022 8:49 AM SKYLAR BROWN P:\CLT_2021\1021300\CAD\DOCUMENTATION\REZONING\1021300_REZONING.DWG




NTS

SITE DEVELOPMENT DATA

Site Area:	+/- 182.71 acres
Tax Parcels:	02911102, 02911103, 02911106, 02965106, 02965107, 02904108, 02965109, and 02903113
Existing Zoning:	R-3
Proposed Zoning:	MX-2
Existing Use:	Vacant
Proposed Uses:	Single-family and/or Multi-family Residential Units; Institutional (School), and Park/Outdoor Recreation Uses
Maximum Building Height:	Per Ordinance
Parking:	Per Ordinance
Approximate Development Thr	 A1 - 380-400 Multi-family Attached units A2 - 380-400 Multi-family Attached units and 60-80 Single-fam A2.1 - No Multi-family Attached units in area A3 - 310-330 Multi-family Attached units and 100-120 Single-fam A3.1 - No Multi-family Attached units in area A4 - 100-120 Multi-family Attached units and 60-80 Single-fam A4.1 - No Multi-family Attached units in area A5 - 280-300 Single-family Attached units A6 - 40-60 Single-family Attached units A7 - 40-60 Single-family Attached units
Minimum Single-family Thresh	olds: A2 - Minimum of 10% of Development Area to be Single-famil A3 - Minimum of 20% of Development Area to be Single-famil A4 - Minimum of 25% of Development Area to be Single-famil





10/17/2022 8:49 AM SKYLAR BROWN P:\CLT_2021\1021300\CAD\DOCUMENTATION\REZONING\1021300_REZONING.DWG

ORIGINAL SHEET SIZE: 30" X 42"

RZ-2

	TRIBUTE COMPANIES, INC.	d. To provide privacy, all residential entrances within fifteen (15) feet of a public sidewalk shall be raised or lowered from the average
	REZONING PETITION NO. 2022-048 Development Standards	 e. Garage doors visible from network-required public streets shall minimize the visual impact by providing a setback of 6 to 12 inches
Development Data Table:	10/17/2022	from the front wall plane or additional architectural treatments such as translucent windows or projecting elements over the garage door opening. f. Attached Single Family buildings fronting network-required public streets shall be limited to six (6) individual units or fewer.
Site Area: Tax Parcels: Existing Zoning:	+/- 182.71 acres 02911102, 02911103, 02911106, 02965106, 02965107, 02904108, 02965109, and 02903113 R-3	5. Service Area Screening - service areas such as dumpsters, refuse areas, recycling and storage shall be screened from view with materials and design to be compatible with principal structures. Such design shall include a minimum 20 percent Preferred Exterior Building Materials or a Class B buffer not less than 10' in depth at all above grade perimeter not paved for access.
Proposed Zoning: Existing Use:	MX-2 Vacant	6. The Petitioner may subdivide the Site and create lots within the Site with no side or rear yards as part of a unified development plan.
Proposed Uses: Maximum Building Height:	Single-family and/or Multi-family Residential Units; Institutional (Elementary School), and Park/Outdoor Recreation Uses Per Ordinance	1. The Petitioner will provide a minimum sixteen (16)-acre publicly accessible park and/or recreation area, as generally depicted on the Rezoning Plan as Development Area P1. A minimum of nine (9) acres of this area shall be dedicated and conveyed to Mecklenburg
Parking:	Per Ordinance	County for a future neighborhood park. This dedication area may include area within powerline easements. 2. Petitioner shall provide a pedestrian-friendly focal point for neighborhood activity as generally depicted on the Rezoning Plan, final
	ndards form a part of the Rezoning Plan associated with the Rezoning Petition filed by Tribute Companies, Inc. Incommodate the development of an integrated residential community, school and park on that approximately	location to be determined as part of master planning during permitting phase of development in an appropriate location for neighborhood involvement. This neighborhood activity area may include temporary events such as food trucks, pop-up retail tents, seasonal neighborhood festivals (e.g., pumpkin patch), music, artwork, crafts or other community engagement activities.
	near the intersection of Galloway Road and John Adams Road, more particularly depicted on the Rezoning Plan comprised of Tax Parcel Numbers 02911102, 02911103, 02911106, 02965106, 02965107, 02904108, 02965109,	VI. Environmental Features 1. The Petitioner shall comply with the Post Construction Stormwater Ordinance. The location, size, and type of storm water management systems denieted on the Regenting Plan are subject to review and entravel as part of the full development plan submitted and are not
	will be governed by the Rezoning Plan, these Development Standards and the applicable provisions of the Ordinance").	systems depicted on the Rezoning Plan are subject to review and approval as part of the full development plan submittal and are not implicitly approved with this rezoning. Adjustments may be necessary in order to accommodate actual storm water treatment requirements and natural site discharge points.
Ordinance Rezoning for t	in or these Development Standards establish more stringent standards, the regulations established under the the MX-2 zoning district shall govern the development and use of the Site.	2. Development within any SWIM/PCSO Buffer shall be coordinated with and subject to approval by Charlotte-Mecklenburg Storm Water Services and mitigated if required by City ordinance. Petitioner acknowledges intermittent/perennial stream delineation reports are subject to review and approval upon submission of development plans for permitting and are not approved with rezoning decisions. The
arrangement of such uses	reet layout depicted on the Rezoning Plan are schematic in nature and are intended to depict the general s and improvements on the Site. Accordingly, the ultimate layout, locations and sizes of the development and n the Rezoning Plan are graphic representations of the proposed development and site elements, and they may be	 a subject to review and approval upon submission of development prans for permitting and are not approved with releasing decisions. The existing pond on site may require a buffer depending on results of the delineation report. 3. The Petitioner shall comply with the Tree Ordinance.
altered or modified in acc Development Standards,	cordance with the setback, yard, landscaping and tree save requirements set forth on this Plan and the provided, however, that any such alterations and modifications shall be minor in nature and not materially n intent depicted on the Rezoning Plan.	VII. Lighting 1. All freestanding lighting fixtures installed on the Site greater than twenty-one (21) feet in total height (i.e., excluding decorative lighting
5. Future amendments to the	The Rezoning Plan and/or these Development Standards may be applied for by the then owner(s) of the Site in visions of Chapter 6 of the Ordinance. Minor alterations to the Rezoning Plan are subject to Section 6.207 of the	less than 21' in height that may be installed along the driveways and sidewalks as pedestrian/landscaping lighting) shall be fully capped and shielded and the illumination downwardly directed.
Ordinance. II.Permitted Uses, Maximu	um Development, and Development Areas	2. Petitioner shall coordinate with CDOT Lighting (Bruce Horldt) prior to permitting of lighting fixtures on public roadways. VIII.Binding Effect of the Rezoning Documents and Definitions
thereto that are permitted in single-family detached and/	nly to residential, institutional and park/outdoor recreation uses, and any incidental and accessory uses relating n the MX-2 zoning district. The residential units shall not exceed 1950 units, in any combination of /or attached, and/or multi-family residential units. The Petitioner may use tree save and/or open space bonus	If this Rezoning Petition is approved, all conditions applicable to development of the Site imposed under the Rezoning Plan and these Development Standards will, unless amended in the manner provided under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site and their respective successors in interest and assigns.
	ance to reach the requested density. lowing Development Areas:	Throughout these Development Standards, the terms, "Petitioner" and "Owner" or "Owners" shall be deemed to include the heirs, devisees, personal representatives, successors in interest and assigns of the Petitioner or the owner or owners of any part of the Site from time to time who may be involved in any future development thereof.
×	nall be predominately devoted to park/outdoor recreation uses. nall be predominately devoted to institutional (elementary school) uses.	
A.3.1, A4.1, A5, A6, and multi-family stacked apar percentages of single-fan Rezoning Plan. Sequence	A2, A2.1, A3, A3.1, A4, A4.1, A5, A6, and A7 shall be predominately devoted to residential uses. Areas A2.1, d A7 shall contain lower density residential options (i.e., single-family detached and/or attached units, no artment units). Multifamily stacked apartment units shall be permitted in Areas A1, A2, A3, and A4. Minimum mily detached and/or attached units as provided for each Development Area are reflected on Sheet RZ-1 of this cing of such single-family verses multi-family units for each development area shall not impact issuance of y for sub-phases of each Area.	
access points are subject	reetscape Site shall be as generally depicted on the Rezoning Plan. The placement and configuration of the vehicular to any minor modifications required to accommodate final site and construction plans and designs and as the North Carolina/Charlotte Department of Transportation, as applicable (NCDOT/CDOT).	
of these streets shall be a	ning Plan, the Site will be served by internal public and/or private streets, and minor adjustments to the location allowed during the construction permitting process in coordination with NCDOT/CDOT.	
completed and reviewed	ess of conducting a Traffic Impact Study and will include transportation mitigation commitments herein once by NCDOT/CDOT.] the existing Galloway Road stub to John Adams Road to a local collector street typical section per U-07.	
1	a minimum eight (8) foot wide planting strip and eight (8) foot wide sidewalk along the Site's frontages of all	
6. Petitioner shall dedicate a	all rights-of-way where necessary, in fee simple conveyance to NCDOT/City of Charlotte, as applicable, prior to first building certificate of occupancy.	
	are that all transportation improvements are substantially completed prior to the issuance of the first building for the associated Development Area or as phased per a phasing plan described herein.	
improvements within the on its own or in conjunct	rovements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, to the roadway eir respective road system authority. It is understood that such improvements may be undertaken by the Petitioner tion with other development or roadway projects taking place within the broad area, by way of a private/public er public sector project support.	
IV. Architectural Standar	rds ing Materials: All principal and accessory buildings abutting a network required public or private street shall	
comprise a minimum of 3 equivalent), hardiplank, s	30% of that building's entire façade facing such network street using brick, natural stone (or its synthetic stucco or other material approved by the Planning Director. ding Materials: a. Vinyl siding (but not vinyl hand rails, windows or door trim); and	
	hits not architecturally finished.	
	ed units shall be permitted in Areas A1, A2, A3, and A4 and shall <u>not</u> be permitted in Areas A2.1, A3.1, A4.1, enerally depicted on the Rezoning Plan.	
-	g Placement and Site Design shall focus on and enhance the pedestrian environment through the following: placed so as to present a front or side façade to all network required streets (public or private);	
ii. Parking lots shall no	ot be located between any building and any network required public or private street; and	
c. Building Massing an 120 feet in length sh	nded to serve single units shall be prohibited on all network required streets. and Height shall be designed to break up long monolithic building forms as follows: Building sides greater than hall include modulations of the building massing/façade plane (such as recesses, projections, and architectural ons shall be a minimum of ten (10) feet wide and shall project or recess a minimum of six (6) feet extending g.	
i. Building elevations	dential Architectural Elevation Design - elevations shall be designed to create visual interest as follows: shall be designed with vertical bays or articulated architectural façade features which may include but not be ation of exterior wall offsets, projections, recesses, pilasters, banding and change in materials or colors.	
ii. Building elevations all directions and are	ation of exterior wall offsets, projections, recesses, phasters, banding and change in materials of colors. a facing network required public or private streets shall not have expanses of blank walls greater than 20 feet in rchitectural features such as but to limited to banding, medallions or design features or materials will be provided narticulated blank treatment of such walls.	
	lential Roof Form and Articulation - roof form and lines shall be designed to avoid the appearance of a large	
• •	t roof lines shall avoid continuous expanses without variation by including changes in height and/or roof form, to imited to gables, hips dormers or parapets.	
ii. Roof top HVAC and	d related mechanical equipment will be screened from public view at grade from the nearest street.	\langle

4. Single-Family Attached (Townhome) Design Standards:

10/17/2022 8:49 AM SKYLAR BROWN P:\CLT_2021\1021300\CAD\DOCUMENTATION\REZONING\1021300_REZONING.DWG

- a. Townhome units fronting public streets shall be alley-loaded. No individual driveways from the single-family attached units shall be connected to a public or private street (excluding alleyways).
- b. Pitched roofs, if provided, shall be symmetrically sloped no less than 5:12, except that roofs for porches and attached sheds may be no less than 2:12, unless a flat roof architectural style is employed.
- c. All corner/end units where the side of the unit fronts a public street shall have blank wall provisions that limit the maximum blank wall expanse to ten (10) feet on all building levels for the applicable side elevation.

