

# Parkside Townhomes Site - Petition # 2022-161 **Rezoning - Development Standards - 04/10/2023**

**Site Development Data:** --Acreage:

 $\pm$  29.33 acres

19906169A and 19906169B --Tax Parcel #:

-- Existing Zoning:

-- Proposed Zoning: UR-2(CD) --Existing Uses: Vacant

Up to one hundred sixty-nine (169) attached residential dwelling units together --Proposed Uses: with accessory uses, as allowed by right and under prescribed conditions in the UR-2 zoning district.

-- Maximum Building Height: 48'

As required by the Ordinance. --Parking:

#### **General Provisions:**

Site Location. These Development Standards, the Technical Data Sheet, Schematic Site Plan and other site plan sheets form this rezoning plan (collectively referred to as the "Rezoning Plan") associated with the Rezoning Petition filed by Pulte Group ("Petitioner") to accommodate the development of a residential community on an approximately 29.33-acre site located to the west of Steele Creek Road (the "Site").

Zoning Districts/Ordinance. Development of the Site will be governed by the Rezoning Plan as well as the applicable provisions of the City of Charlotte Zoning Ordinance (the "Ordinance"). Unless the Rezoning Plan establishes more stringent standards, the regulations established under the Ordinance for the UR-2 zoning classification shall govern all development taking place on the Site.

c. Graphics and Alterations. The schematic depictions of the uses, parking areas, sidewalks, structures and buildings, building elevations, driveways, streets, building and parking envelopes, open space areas, and other development matters and site elements (collectively the "Development/Site Elements") set forth on the Rezoning Plan should be reviewed in conjunction with the provisions of these Development Standards. The layout, locations, sizes, and formulations of the Development/Site Elements depicted on the Rezoning Plan are graphic representations of the Development/Site elements proposed. Changes to the Rezoning Plan not anticipated by the Rezoning Plan will be reviewed and approved as allowed by Section 6.207 of the Ordinance.

Since the project has not undergone the design development and construction phases, it is intended that this Rezoning Plan provide for flexibility in allowing some alterations or modifications from the graphic representations of the Development/Site Elements. Therefore, there may be instances where minor modifications will be allowed without requiring the Administrative Amendment Process per Section 6.207 of the Ordinance. These instances would include changes to graphics if they are:

i. minor and don't materially change the overall design intent depicted on the Rezoning Plan.

The Planning Director will determine if such minor modifications are allowed per this amended process, and if it is determined that the alteration does not meet the criteria described above, the Petitioner shall then follow the Administrative Amendment Process per Section 6.207 of the Ordinance; in each instance, however, subject to the Petitioner's appeal rights set forth in the Ordinance.

Number of Buildings Principal and Accessory. The total number of principal buildings to be developed on the Site will be limited to forty (40). Accessory buildings and structures located on the Site shall not be considered in any limitation on the number of buildings on the Site. Accessory buildings and structures will be constructed utilizing similar building materials, colors, architectural elements, and designs as the principal building(s) located within the same Residential Development Area as generally depicted on the Rezoning Plan.

### Permitted Uses & Development Area Limitations:

The principal buildings constructed on the Site may be developed with up to one hundred sixty-nine (169) attached alley-loaded and front-loaded residential dwellings units as permitted by right, and under prescribed conditions, together with accessory uses, all as allowed in the UR-2 zoning district.

## **Access and Transportation Improvements:**

**a.** Access to the Site will be from Parkside Crossing Drive, Simone Terrace, and Aikenwood Drive as generally depicted on the Rezoning Plan. The placement and configuration of the access points are subject to any minor modifications required by CDOT and/or NCDOT in accordance with applicable published standards. The existing turnaround on Aikenwood Drive at Access "D" shall be removed. 

The alignment of the internal vehicular circulation and driveways may be modified by the Petitioner to accommodate changes in traffic patterns, parking layouts, and any adjustments required for approval by CDOT and/or NCDOT in accordance with published standards.

The placement and configuration of the vehicular access point is subject to any minor modifications required to accommodate final site development and construction plans and to any adjustments required for approval by the CDOT in accordance with applicable published standards.

Required roadway improvements, if any, will be approved and constructed prior to the issuance of the certificate of occupancy for the first building on the Site, subject to the Petitioner's ability to post a bond for any improvements not in place at the time of the issuance of the first certificate of occupancy.

The Petitioner will dedicate via fee simple conveyance any additional right-of-way indicated on the Rezoning Plan as right-of-way to be dedicated, and the additional right-of-way will be dedicated prior to the issuance of the first certificate of occupancy. The Petitioner shall dedicate sixty-one (61) feet of right-of-way from the existing centerline of Steele Creek Road and shall provide an eight (8) foot planting strip and twelve (12) foot shared-use path along the Site's frontage. The Petitioner will provide a permanent sidewalk easement for any of the proposed sidewalks that are located along the public streets and outside of the right-of-way. The permanent sidewalk easement will be located a minimum of two (2) feet behind the sidewalk where feasible. On public streets internal to the Site, a sidewalk utility easement will be provided one (1) foot behind the sidewalk. 

### Streetscape, Buffers, Yards, Open Space, and Landscaping:

A thirty-five (35) foot setback as measured from the proposed back of curb along in the internal public streets will be provided for front loaded units. A twenty (20) foot setback as measured from the proposed back of curb along the internal public streets will be provided for alley loaded units. The sides of buildings along internal public streets will comply with the setback requirement of the UR-2 zoning district. Alley loaded units shall have the option to provide driveways that are full length of twenty (20) feet or reduced between five and seven feet as measured from the edge of pavement in the alley. An eight (8) foot planting strip and a six (6) foot sidewalk will be provided along the internal public streets as generally depicted on the Rezoning Plan.

A twenty (20) foot setback will be provided along Parkside Crossing Drive as generally depicted on the Rezoning Plan. A twelve (12) foot shared-use path and an eight (8) foot planting strip shall be provided along both Parkside Crossing Drive and Steele Creek Road as generally depicted on the Rezoning Plan. 

A fifty (50) foot Class C buffer will be provided as generally depicted on the Rezoning Plan. Perimeter buffers of lesser widths identified in proximity to the Aikenwood Drive connection will also contain vegetation per the Class C buffer standards based upon the provided buffer width. 

Walkways shall be provided to connect all residential entrances to sidewalks along public and private

Visitor parking and mail kiosk shall be located on the Site as generally depicted on the Rezoning Plan. The final location of these facilities will be determined during the land development permitting process.

A pedestrian connection will be provided at the end of the proposed turnaround of the internal street closest to Steele Creek Road out to the twelve (12) foot shared-use path along Steele Creek Road as generally depicted on the Rezoning Plan.

/\

#### **Architectural Standards:**

**a.** The building materials used on the principal buildings constructed on Site will be a combination of portions of the following: brick, stone, precast stone, precast concrete, synthetic stone, cementitious fiber board, stucco, EIFS, decorative block, and/or wood. Aluminum as a building material may only be used on windows, soffits and on handrails/railings. The proposed roofing materials will be architectural asphalt shingles, and metal type roofing materials may also be used.

The ends of the buildings facing the internal private drives/streets and/or public streets will not have blank walls that exceed twenty (20) feet in length on all building levels. The end units will have multiple windows on the end facades to avoid blank walls.

Usable porches and/or stoops shall form a predominant feature of the building design and be located on the front and/or side of the building. Usable front porches, when provided, should be covered and be at least six (6) feet deep. Stoops and entry-level porches may be covered but should not be enclosed. Stoops and entry level porches shall be a minimum of three (3) feet deep.

**d.** Garage doors proposed along public or private streets should minimize the visual impact by providing a setback of 12 to 24 inches from the front wall plane and/or additional architectural treatments such as translucent windows or projecting elements over the garage door opening. 

Buildings fronting public or private network required streets should have no more than seven (7) buildings with a maximum of six (6) individual units. This requirement shall not apply to buildings that do not front a public street or buildings that are perpendicular to a public street. The remainder of the buildings will be limited to five (5) individual units or fewer.

Pedestrian connections on front loaded units shall be permitted to utilize driveways to connect to the sidewalks along public and private streets. 

Meter banks will be screened from adjoining properties and from the proposed public street.

h. HVAC and related mechanical equipment will be screened from public view and from view of adjacent properties at grade.

Dumpster and recycling area will be enclosed by a solid wall or fence with one side being a decorative gate. The wall or fence used to enclose the dumpster will be architecturally compatible with the building materials and colors used on the principal buildings. Potential dumpster and recycling area locations are generally depicted on the Rezoning Plan. Construction of such facilities are not required if private trash service utilizing roll-out containers is provided for the Site.

### **Environmental Features:**

The Site shall comply with the Charlotte City Council approved and adopted comply with the Post Construction Stormwater Ordinance. The location, size, and type of storm water management system(s) depicted on the Rezoning Plan are subject to review and approval as part of the full development plan submittal and are not implicitly approved with this rezoning petition. Adjustments may be necessary in order to accommodate actual storm water treatment requirements and natural site discharge points.

The Site will comply with the Tree Ordinance. The final location of the required tree save areas will be determined during the land development approval process for the Site. Tree save areas will comply with the requirements of the Tree Ordinance.

The Petitioner shall dedicate and convey  $\pm$  3.5 acres to Mecklenburg County for use by Park and Recreation as generally depicted on the Rezoning Plan. 

Amenity area(s) to include hardscape, gathering areas, seating opportunities, and/or other similar

### **Lighting:**


**a.** All freestanding lighting fixtures installed on the Site greater than twenty-one (21) feet in total height (i.e., excluding decorative lighting less than 21' in height that may be installed along the driveways and sidewalks as pedestrian/landscaping lighting) shall be fully capped and shielded and the illumination downwardly directed.

### **Amendments to the Rezoning Plan:**

**a.** Future amendments to the Rezoning Plan (which includes these Development Standards) may be applied for by the then Owner or Owners of the applicable development area or portion of the Site affected by such amendment in accordance with the provisions herein and of Chapter 6 of the Ordinance.

### **Binding Effect of the Rezoning Application:**

If this Rezoning Petition is approved, all conditions applicable to the development of the Site imposed under the Rezoning Plan will, unless amended in the manner provided herein and under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site or Development Areas, as applicable, and their respective heirs, devisees, personal representatives, successors in interest or



30' MIN. TO REAR

OF PARKING PAD

PARKING

16'

CITY OF CHARLOTTE

INCLUDES CHARLOTTE ETJ

AND DEVELOPMENT STANDARDS

(SEE NOTE 5)

30' MIN. TO

REAR INTERIOR WALL

D3\* -

■——D4\*———

-PARKING PAD\*

2'-0" VALLEY GUTTER OR

PARKING PAD, DIMENSION D4 IS REQUIRED TO BE A MINIMUM OF 20'.

1'-0" CONCRETE STRIP

GARAGE

\* WITH NO PARKING PAD, DIMENSION D3 IS REQUIRED TO BE MINIMUM 5' BUT NO GREATER THAN 7'. WITH

(OPTIONAL)

61 S **OWNHOM** VALLEY GUTTER ARKSIDE CONCRETE STRIP (TYP.) 2. STORM DRAINAGE (NOT SHOWN) SHALL BE PROVIDED AS NECESSARY ALLEYS SHALL BE CONSIDERED PRIVATE EASEMENTS AND WILL NOT DRIVEWAYS SHALL BE SEPARATED BY AT LEAST 5 FEET, OR GREATER PROJECT INFORMATION IF REQUIRED BY PLANNING (LOT SIZE) REQUIREMENTS AND/OR N.C. PROJECT MANAGER: DESIGNED BY: CONSIDERED A "FIRE APPARATUS ACCESS ROAD" PER NC FIRE CODE. PROJECT NUMBER: NOT TO SCALE ORIGINAL DATE: STD. NO. REV 2 OF 3

COMPACTED -SUBGRADE

ALLEY WITH NORMAL CROWN

COMPACTED SUBGRADE

SUBGRADE SHALL BE COMPACTED TO PUBLIC STREET STANDARDS.

E ACCEPTED FOR MAINTENANCE BY THE CITY OF CHARLOTTE

MINIMUM 20' WIDE PAVEMENT REQUIRED IF ALLEY IS TO BE

RESIDENTIAL ALLEY DETAIL

DOUBLE LOADED W/ TWO-WAY OPERATION

ALLEY WITH INVERSE CROWN

1.5" S-9.5B-

