



	Planning Department	Steele Trojan Development, LLC Development Standards
CHARLOTTE	1. <u>General Provisions</u> :	<u>02/13/23</u> <u>Rezoning Petition No. 2022-134</u>
APP	RaVite Docation. These Development Standards form a part of gross floor area of retail, EDEE, and general and medical approximately 12.48 Dacre site occated on Steele Creek Road b	of the Rezoning Plan associated with the Rezoning Petition filed by Steele Trojan Development LLC ("Petitioner") to a ffice uses as allowed in the NS zoning district, and a hotel with 180 rooms or 50,000 square feet of gross floor area of etween I-485 and Outlets Boulevard (the "Site").
	Ab Zoning Districts/Ordinance Development of the Site v standards the regulations established under the Ordinance for	Ill be governed by the Rezoning Plan as well as the applicable provisions of the City of Charlotte Zoning Ordinance (he NS and O-2 zoning classification shall govern.
	c. Graphics and Alterations. The schematic depictions of the uses, parking areas, sidewalks, structures and buildings, driveways, and other development Rezoning Plan should be reviewed in conjunction with the provisions of these Development Standards. The layout, locations, sizes and formulations of the Development/Site elements proposed. Changes to the Rezoning Plan not anticipated by the Rezoning Plan will be reviewed and approved as allowed by Section	
		and construction phases, it is intended that this Rezoning Plan provide for flexibility in allowing some alterations or n difications will be allowed without requiring the Administrative Amendment Process per Section 6.207 of the Ordinance. lepicted on the Rezoning Plan.
		ions are allowed per this amended process, and if it is determined that the alteration does not meet the criteria described nowever, subject to the Petitioner's appeal rights set forth in the Ordinance.
	 number of buildings on the Site. Accessory buildings and struct Permitted Uses & Development Area Limitation: 	otal number of principal buildings to be developed on the Site shall not exceed nine (9). Accessory buildings and struct etures will be constructed utilizing similar building materials, colors, architectural elements and designs as the principal b
	district, together with accessory uses as allowed in the NS zoni	of gross floor area of retail, EDEE, a limited service restaurant (EDEE) as defined below, and general or medical office ng district. to 180 hotel rooms or up to 50,000 square feet of gross floor area of general or medical office uses as allowed in O-2 ze
	c. One Limited Service Restaurant (EDEE) with an accessor primarily items such as coffee, ice cream, yogurt, juices, bage Planning Staff for review and approval the proposed site plan drive-through window balances pedestrian access to the building	
	d. A possible location for the proposed Limited Service Restaurant have been indicated on the Conceptual Site Plan (Sheet RZ2.0), however, the allowed Limited Service Restau standards of the Rezoning Plan.	
	0	service stations with or without a convenience store, and uses with an accessory drive-through window other than, i. a linder the NS zoning: health institutions; clinics; veterinary clinics; dry cleaning and laundry establishments, up to 4,500 squares to service sindoor.
	For purposes of the development limitations set forth in these Development Standards (but not to be construed as a limitation on FAR requirements), the following items will not the Ordinance) for the Site: surface or structured parking facilities, all loading dock areas (open or enclosed), and outdoor dining areas whether on the roof of the building(s) or by the Ordinance or these development standards).	
	 Access and Transportation: a. Access to the Site will be from NC 160 Steele Creek Road and from Outlets Boulevard in the manner generally depicted on the Rezoning Plan. Access and connections to the steele Creek Road and from Outlets Boulevard in the manner generally depicted on the Rezoning Plan. Access and connections to the steele Creek Road and from Outlets Boulevard in the manner generally depicted on the Rezoning Plan. Access and connections to the steele Creek Road and from Outlets Boulevard in the manner generally depicted on the Rezoning Plan. 	
	 depicted on the Rezoning Plan, more or fewer connections to the internal public street will be allowed subject to CDOT approval. b. The Petitioner will construct a new public street on the Site from Steele Creek Road to Outlets Boulevard as generally depicted on the Rezoning Plan. c. The placement and configuration of the vehicular access points are subject to any minor modifications required to accommodate final site development and construction plans a accordance with applicable published standards. The Development Areas may be interconnected by means of driveways or parking areas as generally depicted on the Rezoning Plan. d. Any right-of-way to be dedicated for the required roadway improvements will be dedicated via fee simple conveyance before the Site's first certificate of occupancy is issued. feasible. 	
	standards.	lriveways may be modified by the Petitioner to accommodate changes in traffic patterns, parking layouts and any adju
	 4. <u>Transportation Improvements and Access:</u> I. <u>Proposed Improvements:</u> The Petitioner plans to provide or cause to be provided on its own or in cooperation with other parties who may implement portions of the improvements, the improvements swith the following implementation provisions: 	
F		d on figure 11 located on Sheet RZ-3 of the Rezoning Plan. Figure 11 on Sheet RZ-3 is to be used in conjunction with the sponds to the number found on Figure 11 on Sheet RZ-3 for the proposed improvement).
WWYATT		ibutions will be made by the Petitioner as part of the development of the Site as proposed by the Rezoning Plan. The Pe ompletion of the following improvements as reasonably determined by CDOT and NCDOT as applicable:
	a. Intersection of Steele Creek Road and the Right-In Only A	
AM LANIER-LT.CTB		k Road into the Site with 150 feet of storage and appropriate taper. ct from Steele Creek Road to Outlets Boulevard.
		u <u>p:</u> el Creek Road onto the I-485 outer on-ramp by 500 feet with an appropriate taper. As approved by CDOT and subject t
24 10:		the Payment in Lieu of the installation of 2'-6" Curb and Gutter at the intersection of Outlets Blvd and Steele Creek Rd.
1/16/2024 10: 41: 3 9	 The fee in fleu must be deposited with CDOT, prior to office square footage/uses in lieu of the hotel. II. <u>Standards, Phasing and Other Provisions.</u> 	the issuance of a building permit for any buildings beyond the development of <u>either</u> 35,000 gross square feet of allow
OTES		c roadway improvements will be subject to the standards and criteria of CDOT and NCDOT, as applicable, to the road
DEVELOPMENT NOTES	other public sector project support. The Petitioner has agreed	Petitioner on its own or in conjunction with other development or roadway projects taking place within the broad souther to a payment in lieu vis-à-vis the proposed roadway improvements.
	 b. A Right-of-Way Encroachment Agreement is required for continue to work with staff to resolve encroachments. c. [Intentionally Deleted] 	the installation of any non-standard item(s) (irrigation systems, decorative concrete pavement, brick pavers, etc.) within
01.03.24.DWG		renced roadway improvements can be approved through the Administrative Amendment process upon the determinat red alternate transportation improvements provide (in the aggregate) comparable transportation network benefits to the im
PLANRZA - (5. Architectural Standards:	
	decorative block, architectural metal banels and/or wood. V myr as a bunding material may omy be used on windows, sornts, and on nandrans/rannings.	
20NING\REZ	i. Buildings fronting on the existing and proposed public streets will be articulated such that expanses of solid walls exceeding 20 linear feet will be avoided with either horizontal solar blank wall is a façade that does not add to the character of the streetscape and does not contain transparent windows or door or sufficient ornamentation, decoration or articulation. We the building façade at street level. Elements may include, but are not limited to: molding; string courses; belt courses; changes in material or color; architectural lighting; works of art; or the building façade at street level.	
NDING\REZ	 b. Architectural and Design Controls i. Buildings fronting on the existing and proposed public streets will be articulated such that expanses of solid walls exceeding 20 linear feet will be avoided with either horizonta blank wall is a façade that does not add to the character of the streetscape and does not contain transparent windows or door or sufficient ornamentation, decoration or articulation. the building façade at street level. Elements may include, but are not limited to: molding; string courses; belt courses; changes in material or color; architectural lighting; works of art recesses), columns, pilasters, change in materials or colors, awnings, arcades, or other architectural elements. iii. The primary facade of the EDEE fronting on public streets shall include a minimum of 20% transparent glass between two feet (2') and ten feet (10') on the first floor. Shad screen bathrooms, back of house, kitchens, or other building elements; shadow boxes or window graphics may not be utilized for more than 10% of the required transparency required 	
STEELE		et shall include a minimum of 40% transparent glass between two feet (2') and ten feet (10') on the first floor. Shadow ements; shadow boxes or window graphics may not be utilized for more than 10% of the required transparency requirements.
: \DWG\018.574.002	v. The primary facade of buildings, other than the EDEE or the hotel, fronting on public streets shall include a minimum of 60% transparent glass between two feet (2') and ter utilized behind transparent glass to screen bathrooms, back of house, kitchens, or other building elements; shadow boxes or window graphics may not be utilized for more than 10% or	
\DWG\C	vi. All buildings must be sited maintaining pedestrian interconnectivity between buildings and through parking areas. This will be done by providing a minimum of a six (6) f	

titioner") to accommodate the development of the Site with up to 35,000 square feet floor area of general or medical office uses as allowed in the O-2 zoning district on

Ordinance (the "Ordinance"). Unless the Rezoning Plan establishes more stringent

and site elements (collectively the "Development/Site Elements") set forth on the ent/Site Elements depicted on the Rezoning Plan are graphic representations of the he Ordinance.

erations or modifications from the graphic representations of the Development/Site e Ordinance. These instances would include changes to graphics if they are:

ria described above, the Petitioner shall then follow the Administrative Amendment

gs and structures located on the Site shall not be considered in any limitation on the e principal building located on the Site.

nedical office uses on the portion of the Site zoned NS, as allowed in the NS zoning

ved in O-2 zoning district, together with accessory uses as allowed in the O-2 zoning

ned as a restaurant with no more than 4,800 square feet of gross floor area serving than heating and the baking of premixed dough). The Petitioner will submit to the iew the proposed site plan to verify that the layout of the EDEE with an accessory

vice Restaurant may be located on any portion of the Site zoned NS subject to the

r than, i. a limited service EDEE as defined above, ii. a financial service allowed to 4,500 square feet; florists, retail; laboratories, optical, medical, and dental; post

ill not be counted as part of the allowed gross floor area (floor area as defined by g(s) or at street level (parking for outdoor dining areas will be provided as required

ections to the Site from the internal public street will also be allowed as generally

ction plans and to any adjustments required for approval by CDOT and NCDOT in

oning Plan. cy is issued. CDOT requests rights-of-way set at 2' behind back of sidewalk where

and any adjustments required for approval by CDOT in accordance with published

s set forth below to benefit overall traffic patterns throughout the area in accordance

tion with the following notes to determine the extent of the proposed improvemen

Plan. The Petitioner will be allowed to obtain a certificate of occupancy for any one

walkways in parking areas will be striped), and connecting each building to the sidewalk network that will be provided throughout the Site.

buildings with unrelated and wholly dissimilar architectural styles, building materials, colors and signage.

the proposed buildings.

6. Streetscape, Buffers, Building Edges, Open Space, Yards and Landscaping:

easement allows the planting of low growing landscape materials (not to exceed four (4) feet) within the easement.

outside of the right-of-way.

the Building Envelopes subject to the Building Edge restrictions indicated above.

will be five (5) feet.

to the open space area may also be provided.

Above-ground backflow preventers will be screened from public view and will be located outside of the required setbacks.

principal building.

7 **Environmental Features:**

a. The Petitioner shall comply with the Charlotte City Council approved and adopted Post Construction Ordinance.

necessary in order to accommodate actual storm water treatment requirements and natural site discharge points.

8. Signage:

a. Reserved

9. Lighting:

b. Detached lighting on the Site will be limited to 26 feet in height.

10. Amendments to the Rezoning Plan:

Ordinance

11. Binding Effect of the Rezoning Application:

and subject to approval of NCDOT the Petitioner will contribute a fee in lieu of this

feet of allowed restaurant/retail square footage or the proposed hotel or the allowed

, to the roadway improvements within their respective road system authority. It is broad southwest Mecklenburg area, by way of a private/public partnership effort or

, etc.) within a proposed/existing City-maintained street right-of-way. Petitioner will

determination and mutual agreement of Petitioner, CDOT and NCDOT, and the fits to the improvements identified in this Petition.

concrete, synthetic stone, cementitious siding (such as hardi-plank), stucco, EIFS,

• horizontal and vertical variations in wall planes, materials and/or building color. A culation. When this approach is not feasible architectural elements must be used on orks of art; display areas, porches, or stoops

t least three of the following: a combination of exterior wall offsets (projections and

oor. Shadow boxes or window graphics may be utilized behind transparent glass to cy requirement.

oor. Shadow boxes or window graphics may be utilized behind transparent glass to cy requirement.

(2') and ten feet (10') on the first floor. Shadow boxes or window graphics may be than 10% of the required transparency requirement.

a six (6) feet sidewalk between buildings and through parking areas (pedestrian

