



**MECKLENBURG COUNTY**  
**Land Use & Environmental Services Agency**

**MEMORANDUM**

To: Charlotte-Mecklenburg Planning Commission  
From: LUESA, Mecklenburg County  
Date: 6.29.23  
Subject: Rezoning Petition Comments

Charlotte-Mecklenburg Planning Commission  
600 East Fourth Street Charlotte, North Carolina 28202

Mecklenburg County has reviewed the City of Charlotte rezoning petition below to identify regulatory requirements of the petitioner; inform the petitioner, planning staff, and other affected parties of such regulatory requirements; and identify potential effects on, and impacts from, nearby properties.

<b><u>Petitioner Information:</u></b> Bennett Thompson The Charlotte-Mecklenburg Hospital Authority 9401 Arrowpoint Boulevard, Suite 300 Charlotte, NC, 28273 Home Phone: 704-667-9298 Bennett.Thompson@atriumhealth.org	<b><u>Parcel GIS ID(s):</u></b> 12305402, 12305403
---	---

**2023-020: The Charlotte-Mecklenburg Hospital Authority -- Morehead Street Site Rezoning Request**

*Air Quality Comments:* Demolition or renovation of existing structures may require proper notification and removal of asbestos. A letter of notification and the required forms have been mailed directly to the petitioner.

MCAQ recommends at least 10% of parking spaces be pre-wired so they are ready for EV charging stations.

*Ground Water Services Comments:*

*Summary: Contamination sites exist in the vicinity, so there may be restrictions for water supply wells. Underground or above ground fuel oil storage tanks may exist on some of these properties.*

Groundwater & Wastewater Services records indicate contamination site(s) exist on or within 1,500 feet of the property included in the petition. An established Area of Regulated Groundwater Usage (ARGU) as defined by the Mecklenburg County Groundwater Well Regulations extends 1,500 feet around the contamination sites. In an ARGU where municipally supplied water is available water supply wells for potable water supply, irrigation or open loop geothermal systems may not be permitted or constructed on or within 1,000 feet of contamination sites. Wells may be permitted with special construction and sampling requirements between 1,000 and 1,500 feet of contamination sites.

Information from property records does not indicate the current use of oil heat, but since records for PID 12305403 indicate that a structure was built in 1975, the property may contain an underground or above ground fuel oil storage tank. Any existing tank and its contents should be removed, following applicable NCDEQ guidance, prior to any demolition or grading activity.

*Storm Water Services Comments: No Comments*

*Solid Waste Comments: No Comments*

**Department Contacts:**

Petitioners seeking to address individual comments and issues may follow up with the following Mecklenburg County staff:

*Air Quality Comments:* Megan Green - ([megan.green@mecklenburgcountync.gov](mailto:megan.green@mecklenburgcountync.gov))

*Ground Water Services:* Shawna Caldwell - ([shawna.caldwell@mecklenburgcountync.gov](mailto:shawna.caldwell@mecklenburgcountync.gov))

*Storm Water Services:* Myrette Stephen - ([myrette.stephen@mecklenburgcountync.gov](mailto:myrette.stephen@mecklenburgcountync.gov))

*Solid Waste Comments:* Joe Hack - ([joe.hack@mecklenburgcountync.gov](mailto:joe.hack@mecklenburgcountync.gov))

Additionally, please CC Erin Stanforth, ([erin.stanforth@mecklenburgcountync.gov](mailto:erin.stanforth@mecklenburgcountync.gov)) on all communications to individual departments.

**MCAQ Scope of Review:**

Mecklenburg County Air Quality (MCAQ) has reviewed the petitions with regard to air quality regulations for stationary sources and demolition and/or renovation of structures (e.g. National Emission Standards for Hazardous Air Pollutants for asbestos). Comments may also be made regarding incompatible land uses, sources of Toxic Air Pollutants, proximity to Risk Management Plan facilities, and proximity to known nuisance conditions or sensitive populations. MCAQ has conducted the review based on information submitted by the petitioner, review of aerial photographs (as available through the Mecklenburg County Polaris system), review of the "Air Pollution Facility Information Online" database available from the MCAQ website, and review of Mecklenburg County Health Department

records. The review is cursory based on limited information provided within petition applications and site plans.