

MECKLENBURG COUNTY Land Use & Environmental Services Agency

MEMORANDUM

To: Charlotte-Mecklenburg Planning Commission

From: LUESA, Mecklenburg County

Date: 9.29.23

Subject: Rezoning Petition Comments

Charlotte-Mecklenburg Planning Commission 600 East Fourth Street Charlotte, North Carolina 28202

Mecklenburg County has reviewed the City of Charlotte rezoning petition below to identify regulatory requirements of the petitioner; inform the petitioner, planning staff, and other affected parties of such regulatory requirements; and identify potential effects on, and impacts from, nearby properties.

Petitioner Information:	Parcel GIS ID(s):	
Daniel Renckens	03720341	
METROLINA STORAGE LLC		
300 S TRYON ST STE 2500		
CHARLOTTE, NC, 28202		
Home Phone:		
7046547538		
drenckens@canvasscap.com		

2023-082: SafeNest Storage Rezoning

Air Quality Comments: The petitioner will be asked to complete an applicability questionnaire to determine if an air quality permit is required.

Demolition or renovation of existing structures may require proper notification and removal of asbestos. A letter of notification and the required forms have been mailed directly to the petitioner.

Ground Water Services Comments:

Executive Summary: Contamination incidents exist onsite and in the vicinity, so there may be associated restrictions.

Groundwater & Wastewater Services records indicate that parcel 037-203-41 is a contaminated Mecklenburg County Priority List (MPL) site (MPL#2021) due to inclusion of the parcel in a Brownfield's Agreement within the North Carolina's Department of Environmental Quality's Brownfields Program. The Brownfield Program ID 20034-16-060 was assigned. As residual contamination may remain additional investigation should be considered. Also, additional investigation should be considered based on potential Land Use Restrictions that may apply to the parcel, the historic land usage and because more information may be necessary to determine that the change in use will not pose unacceptable health and safety risks.

Groundwater & Wastewater Services records indicate contamination site(s) exist on or within 1,500 feet of the property included in the petition. An established Area of Regulated Groundwater Usage (ARGU) as defined by the Mecklenburg County Groundwater Well Regulations extends 1,500 feet around the contamination sites. In an ARGU where municipally supplied water is available water supply wells for potable water supply, irrigation or open loop geothermal systems may not be permitted or constructed on or within 1,000 feet of contamination sites. Wells may be permitted with special construction and sampling requirements between 1,000 and 1,500 feet of contamination sites.

Storm Water Services Comments: No Comments

Solid Waste Comments: No comments

Department Contacts:

Petitioners seeking to address individual comments and issues may follow up with the following Mecklenburg County staff:

Air Quality Comments: Megan Green - (megan.green@mecklenburgcountync.gov) Ground Water Services: Shawna Caldwell - (shawna.caldwell@mecklenburgcountync.gov) Storm Water Services: Myrette Stephen - (myrette.stephen@mecklenburgcountync.gov) Solid Waste Comments: Joe Hack - (joe.hack@mecklenburgcountync.gov)

Additionally, please CC Erin Stanforth, (erin.stanforth@mecklenburgcountync.gov) on all communications to individual departments.

MCAQ Scope of Review:

Mecklenburg County Air Quality (MCAQ) has reviewed the petitions with regard to air quality regulations for stationary sources and demolition and/or renovation of structures (e.g. National Emission Standards for Hazardous Air Pollutants for asbestos). Comments may also be made regarding incompatible land uses, sources of Toxic Air Pollutants, proximity to Risk Management Plan facilities, and proximity to known nuisance conditions or sensitive populations. MCAQ has conducted the review based on information submitted by the petitioner, review of aerial photographs (as available through the Mecklenburg County Polaris system), review of the "Air Pollution Facility Information Online" database available from the MCAQ website, and review of Mecklenburg County Health Department

PEOPLE • PRIDE • PROGRESS • PARTNERSHIP 2145 Suttle Avenue • Charlotte, North Carolina 28208 • Fax 980.335.2253 www.mecknc.gov records. The review is cursory based on limited information provided within petition applications and site plans.

PEOPLE • PRIDE • PROGRESS • PARTNERSHIP 2145 Suttle Avenue • Charlotte, North Carolina 28208 • Fax 980.335.2253 www.mecknc.gov