

Location	Citizen Name	Request #	Priority	Date Received	Date Resolved	Issues/Comments/Resolution
3223 LANDERWOOD DR	REBECCA HUNTER	5205392	A	8/26/2013	-	Holes forming in yard. Inspected and found multiple blow-outs and open joints.
3101 CUTCHIN DR	LYNNE SHILLINGLAW	3929089	A	7/27/2010	-	Flooding in home crawlspace from street overflow. Potentially due to blockages.
3109 CUTCHIN DR	CAROL MONROE	4789475	A	7/28/2012	-	Flooding. Inspected. Too few catchbasins.
3222 MOUNTAINBROOK RD	CARMEN GARMILLA	3929422	A	7/28/2010	-	Blockages, erosion, and flooding into house. Inspected.
3137 BROOKMONT PL	RICHARD CALDWELL	4599620	B	2/5/2012	-	Siphon hole forming over stormdrain. Inspected.
3054 WAMATH DR	KAREN POPP	4352578	B	7/11/2011	-	Flooding from neighbor yard. Inspected. CMP rusted away and severe erosion in ditchline.
3314 CAMBRIA RD	ABE EARLY	1866882	C	3/7/2006	-	Erosion and blockages in channel. Needs to be cleared.
3400 CAMBRIA RD	CATHERINE RUSSELL	1382899	C	7/1/2004	-	Heavy erosion around culvert causing damages to wall. Inspected.
3408 CAMBRIA RD	MARK FERUSOV	101354	C	8/26/1996	-	Erosion in backyard channel. Inspect for causes and solution.
3028 CHAUVER DR	CAROLINE VLCEK	1483310	C	7/22/2005	-	Erosion in front yard. Inspected.
3142 CHAUVER DR	JACK SCOTTE	3992179	C	9/13/2010	-	Fence causing blockages in channel. Inspected.
3142 CHAUVER DR	DEBBIE DETWILER	937182	C	8/8/2002	-	Flooding due to blockages. Channel has been cleaned.
3224 CHAUVER DR	DR. SHORT	13331	C	5/12/1998	-	Trees and trash causing blockage and erosion in creek. Inspect and call back.
3300 CHAUVER DR	SANDRA LOCKHART	15000	C	5/6/1999	-	Stagnant water in creek. Needs tallditching and cleaning.
3033 CUTCHIN DR	ED CHAPMAN	13772	C	7/29/1998	-	Flooding of yard nearly into house. Inspect for changes causing.
3233 LANDERWOOD DR	KURT KOTTKAMP	3931314	C	7/29/2010	-	Rip rap has washed downstream along with boulders. Inspected and found headwall failure.
3222 MOUNTAINBROOK RD	JOHN PATAKS	14388	C	1/6/1999	-	New pipes and additional runoff from neighbors going into the creek. Inspect for proper capacity.
3234 MOUNTAINBROOK RD	ANDREW ARCOVD	380294	C	3/2/2000	-	Flooding and minor erosion. Potentially due to blockages and ditch being understood.

Table 2-5 - Potential Property Impacts		Existing Conditions		Flood Elevation		Flood Elevation		Flood Elevation		Flood Elevation		Flood Elevation		Flood Elevation		Flood Elevation		Flood Elevation			
Location	FE or CS	Building	Elevation	Land Use	2	10	25	50	100	Comments	Location	FE or CS	Building	Elevation	Land Use	2	10	25	50	100	
3033 Chaucer Dr.	CS-1	FFE	609.32	Existing	603.94	609.32	609.32	609.32	609.32	LAG flooding during 10 yr storm. Garage flooding 100 yr storm.	3101 Chaucer Dr.	CS-1	FFE	609.29	Existing	603.94	609.29	609.29	609.29	609.29	Crawl space flooding during 10 yr storm. Garage flooding 100 yr storm.
3101 Chaucer Dr.	CS-1	HVAC	608.13	Existing	603.94	608.13	608.13	608.13	608.13		3108 Chaucer Dr.	CS-5	FFE	609.29	Existing	603.94	609.29	609.29	609.29	609.29	LAG flooding in the 25 yr storm. HVAC flooding in the 100 yr storm.
3101 Chaucer Dr.	CS-1	VENT	608.48	Existing	603.94	608.48	608.48	608.48	608.48		3118 Chaucer Dr.	CS-4	FFE	602.30	Existing	646.85	649.50	602.30	602.30	602.30	LAG floods in the 25 yr storm. HVAC flooding in the 100 yr storm. Basement FFE floods in the 100 yr storm.
3101 Chaucer Dr.	CS-1	C.S.	607.13	Existing	603.94	607.13	607.13	607.13	607.13		3118 Chaucer Dr.	CS-4	HVAC	602.27	Existing	N/A	602.27	602.27	602.27	602.27	LAG flooding in 10 yr storm. HVAC flooding in 25 yr storm. Basement FFE flooding in 50 yr storm.
3101 Chaucer Dr.	CS-1	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48		3118 Chaucer Dr.	CS-4	VENT	602.25	Existing	603.94	602.25	602.25	602.25	602.25	
3101 Chaucer Dr.	CS-1	GARAGE	609.09	Existing	603.94	609.09	609.09	609.09	609.09		3118 Chaucer Dr.	CS-4	LAG	600.52	Existing	N/A	600.52	600.52	600.52	600.52	LAG flooding in the 50 yr storm.
3108 Chaucer Dr.	CS-5	FFE	609.29	Existing	603.94	609.29	609.29	609.29	609.29		3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	603.94	609.00	609.00	609.00	609.00	Basement FFE floods in the 25 yr storm.
3108 Chaucer Dr.	CS-5	HVAC	607.72	Existing	603.94	607.72	607.72	607.72	607.72		3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	603.94	607.72	607.72	607.72	607.72	
3108 Chaucer Dr.	CS-5	VENT	607.48	Existing	603.94	607.48	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3108 Chaucer Dr.	CS-5	C.S.	606.48	Existing	603.94	606.48	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3108 Chaucer Dr.	CS-5	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3108 Chaucer Dr.	CS-5	GARAGE	607.48	Existing	603.94	607.48	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3118 Chaucer Dr.	CS-4	FFE	602.30	Existing	646.85	649.50	602.30	602.30	602.30		3124 Chaucer Dr.	CS-2	HVAC	602.27	Existing	N/A	602.27	602.27	602.27	602.27	LAG flooding in 10 yr storm. HVAC flooding in 25 yr storm. Basement FFE floods in the 100 yr storm.
3118 Chaucer Dr.	CS-4	HVAC	602.27	Existing	646.85	649.50	602.27	602.27	602.27		3124 Chaucer Dr.	CS-2	VENT	602.25	Existing	603.94	602.25	602.25	602.25	602.25	
3118 Chaucer Dr.	CS-4	VENT	602.25	Existing	646.85	649.50	602.25	602.25	602.25		3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3118 Chaucer Dr.	CS-4	C.S.	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3118 Chaucer Dr.	CS-4	LAG	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3118 Chaucer Dr.	CS-4	GARAGE	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	N/A	609.00	609.00	609.00	609.00	Basement FFE floods in the 25 yr storm.
3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	646.85	649.50	609.00	609.00	609.00		3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	N/A	607.72	607.72	607.72	607.72	LAG floods in the 25 yr storm. HVAC flooding in the 100 yr storm.
3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	646.85	649.50	607.72	607.72	607.72		3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	N/A	609.00	609.00	609.00	609.00	Basement FFE floods in the 25 yr storm.
3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	646.85	649.50	609.00	609.00	609.00		3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	N/A	607.72	607.72	607.72	607.72	LAG floods in the 25 yr storm. HVAC flooding in the 100 yr storm.
3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	646.85	649.50	607.72	607.72	607.72		3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	N/A	609.00	609.00	609.00	609.00	Basement FFE floods in the 25 yr storm.
3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	646.85	649.50	609.00	609.00	609.00		3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	N/A	607.72	607.72	607.72	607.72	LAG floods in the 25 yr storm. HVAC flooding in the 100 yr storm.
3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	646.85	649.50	607.72	607.72	607.72		3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	N/A	609.00	609.00	609.00	609.00	Basement FFE floods in the 25 yr storm.
3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	646.85	649.50	609.00	609.00	609.00		3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	N/A	607.72	607.72	607.72	607.72	LAG floods in the 25 yr storm. HVAC flooding in the 100 yr storm.
3124 Chaucer Dr.	CS-2	HVAC	607.72	Existing	646.85	649.50	607.72	607.72	607.72		3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	VENT	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	C.S.	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	603.94	606.48	606.48	606.48	606.48	
3124 Chaucer Dr.	CS-2	LAG	606.48	Existing	646.85	649.50	606.48	606.48	606.48		3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	603.94	607.48	607.48	607.48	607.48	
3124 Chaucer Dr.	CS-2	GARAGE	607.48	Existing	646.85	649.50	607.48	607.48	607.48		3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	N/A	609.00	609.00	609.00	609.00	Basement FFE floods in the 25 yr storm.
3124 Chaucer Dr.	CS-2	FFE	609.00	Existing	646.85	649.50	609.00	609.00	609.00	</											