

TABLE OF CONTENTS

CHAPTER 1 – INTRODUCTION

1.1 Purpose.....	1-1
1.2 Contents.....	1-1
1.3 Limitations.....	1-1
1.4 Updating.....	1-2
1.5 Design and Construction Criteria.....	1-2
1.6 City and County Storm Water Regulations	1-2
1.7 Concept Definitions	1-3

CHAPTER 2 – HYDROLOGY

2.1 Hydrologic Design Policies	2-1
2.1.1 Factors Affecting Flood Runoff	2-1
2.1.2 Hydrologic Method.....	2-2
2.1.3 Storm Water Conveyance Design Policy	2-2
2.1.4 HEC-1 Limitations.....	2-2
2.2 Hydrologic Analysis Procedure Flowchart.....	2-3
2.2.1 Purpose and Use.....	2-3
2.2.2 Design Flowchart.....	2-4
2.3 Design Frequency	2-5
2.3.1 Design Frequencies.....	2-5
2.3.2 Rainfall Intensity	2-5
2.4 Rational Method	2-6
2.4.1 Introduction.....	2-6
2.4.2 Runoff Equation.....	2-6
2.4.3 Time of Concentration	2-7
2.4.4 Rainfall Intensity	2-8
2.4.5 Runoff Coefficient	2-8
2.4.6 Composite Coefficients.....	2-9
2.5 Example Problem - Rational Method	2-9
2.6 NRCS Unit Hydrograph	2-10
2.6.1 Introduction.....	2-10

2.6.2 Equations and Concepts.....	2-11
2.6.3 Runoff Factor.....	2-16
2.6.4 Modifications for Developed Conditions	2-17
2.6.5 Travel Time Estimation	2-19
2.6.5.1 Travel Time.....	2-19
2.6.5.2 Time of Concentration.....	2-19
2.6.5.3 Sheet Flow.....	2-19
2.6.5.4 Shallow Concentrated Flow.....	2-21
2.6.5.5 Channelized Flow	2-22
2.6.5.6 Reservoirs and Lakes	2-22
2.6.5.7 Limitations.....	2-22
Appendix 2A Impervious Area Calculations.....	2-23
Appendix 2B Accumulated Precipitation Data.....	2-26

CHAPTER 3 – OPEN CHANNEL HYDRAULICS

3.1 Overview	3-1
3.1.1 Introduction.....	3-1
3.1.2 Channel Linings.....	3-1
3.1.2.1 Vegetative.....	3-1
3.1.2.2 Flexible	3-1
3.1.2.3 Rigid	3-1
3.2 Design Criteria	3-2
3.2.1 General Criteria	3-2
3.2.2 Return Period	3-2
3.2.3 100+1 Flood Analysis	3-2
3.2.4 Velocity Limitations.....	3-3
3.3 Manning’s n Values	3-3
3.3.1 General Considerations.....	3-3
3.3.2 Selection.....	3-3
3.3.3 Manning’s n Values	3-5
3.4 Open Channel Design	3-6
3.4.1 Overview	3-6
3.4.2 Design of Stable Channels	3-6
3.4.3 Permissible Velocity.....	3-7

3.4.4 Selecting Permanent Channel Lining.....	3-7
3.4.5 Tractive Force.....	3-8
3.4.6 Design Procedure Using Permissible Velocity and Tractive Force Procedures	3-9
3.4.7 Example Problem	3-13
3.5 Riprap Design	3-16
3.5.1 Assumptions	3-16
3.5.2 Procedure for Riprap Channel Design	3-17
3.6 Approximate Flood Limits	3-25
3.6.1 Introduction.....	3-25
3.6.2 Floodline Restrictions	3-25
Appendix 3A Hydraulic Terms	3-26
3A.1 Energy of Flow	3-26
3A.2 Steady and Unsteady	3-27
3A.3 Uniform and Non-Uniform Flow	3-27
3A.4 Froude Number	3-27
3A.5 Critical Flow	3-27
3A.6 Subcritical Flow	3-28
3A.7 Supercritical Flow.....	3-28
Appendix 3B Best Hydraulic Section	3-29
3B.1 Introduction	3-29
3B.2 Equations	3-29
Appendix 3C Open Channel Flow Calculations	3-31
3C.1 Design Charts	3-31
3C.2 Manning’s Evaluation	3-31
3C.3 Geometric Relationships	3-31
3C.4 Normal Depth Solutions	3-32
Appendix 3D Critical Flow Calculations	3-34
3D.1 Background.....	3-34
3D.2 Semi-Empirical Equations	3-34
3D.3 Froude Number	3-35

CHAPTER 4 – STORM DRAINAGE SYSTEMS

4.1 Overview	4-1
4.1.1 Introduction.....	4-1
4.1.2 Inlet Definition.....	4-1
4.1.3 Criteria.....	4-1
4.2 Pavement Drainage.....	4-2
4.2.1 Introduction.....	4-2
4.2.2 Storm Drain Location	4-2
4.2.3 Inlet Types and Spacing	4-2
4.2.4 Longitudinal Slope	4-3
4.2.5 Cross Slope.....	4-3
4.2.6 Curb and Gutter.....	4-3
4.2.7 Median Ditches.....	4-3
4.2.8 Roadside Ditches	4-3
4.2.9 Bridge Decks	4-3
4.2.10 Median Barriers	4-4
4.3 Gutter Flow Calculations	4-4
4.3.1 Formula	4-4
4.3.2 Procedure.....	4-4
4.4 Grate Inlet Design	4-7
4.4.1 Grate Inlets on Grade	4-7
4.4.1.1 Design Steps	4-7
4.4.1.2 Example 1	4-9
4.4.2 Grate Inlets in Sag.....	4-10
4.4.2.1 Type 'E' Grate.....	4-10
4.4.2.2 Grated Drop Inlet	4-12
4.4.2.2.1 Example 2.....	4-12
4.4.2.3 Open Throat Catch Basin	4-13
4.4.2.3.1 Example	4-13
4.5 Combination Inlets.....	4-14
4.5.1 Combination Inlets on Grade	4-14
4.6 Hydraulic Gradient.....	4-14
4.6.1 Friction Losses	4-14
4.6.2 Velocity Head Losses	4-14

4.6.3 Entrance Losses.....4-14

4.6.4 Junction Losses.....4-15

4.6.5 Summary4-17

4.7 Storm Drain4-20

 4.7.1 Introduction.....4-20

 4.7.2 Design Criteria.....4-20

 4.7.3 Capacity4-20

 4.7.4 Hydraulic Grade Lines4-22

 4.7.4.1 Design Procedure.....4-22

 4.7.5 Minimum Grade4-24

 4.7.6 Design Procedures4-24

 4.7.7 Rational Method Examples.....4-27

CHAPTER 5 – DESIGN OF CULVERTS

5.1 Overview5-1

 5.1.1 Definitions.....5-1

 5.1.2 Performance Curves.....5-1

5.2 Culvert Design Procedure Flowchart5-2

 5.2.1 Purpose and Use.....5-2

 5.2.2 Design Flowchart.....5-2

5.3 Engineering Design Criteria.....5-3

 5.3.1 Introduction.....5-3

 5.3.2 Criteria.....5-3

 5.3.3 Flood Frequency.....5-4

 5.3.4 Velocity Limitations.....5-4

 5.3.5 Debris Control.....5-4

 5.3.6 Headwater Limitations5-4

 5.3.7 Tailwater Considerations5-5

 5.3.8 Culvert Inlets.....5-5

 5.3.9 Inlets With Headwalls5-6

 5.3.10 Wingwalls and Aprons5-7

 5.3.11 Improved Inlets5-8

 5.3.12 Material Selection5-8

 5.3.13 Outlet Protection.....5-8

5.3.14 Environmental Considerations5-8

5.4 Culvert Flow and Controls and Equations.....5-8

5.4.1 Introduction.....5-8

5.4.2 Inlet and Outlet Control.....5-8

5.4.3 Equations5-9

5.4.3.1 Mild Slope5-9

5.4.3.2 Steep Slope5-11

5.4.3.3 "Slug" Flow.....5-11

5.5 Design Procedures.....5-11

5.5.1 Procedures5-11

5.5.2 Tailwater Elevations.....5-12

5.5.3 Nomographs5-12

5.5.4 Steps in Design Procedure5-14

5.5.5 Performance Curves.....5-15

5.5.6 Roadway Overtopping5-15

5.6 Culvert Design Example5-16

5.6.1 Introduction.....5-16

5.6.2 Problem5-16

5.6.3 Input Data.....5-16

5.6.4 Computations5-17

5.7 Long Span Culverts.....5-20

5.7.1 Introduction.....5-20

5.7.2 Structural Aspects5-20

5.7.3 Hydraulic Considerations5-20

5.8 Construction and Maintenance Considerations5-20

Appendix 5A Critical Depth Charts5-21

Appendix 5B Design of Improved Inlets.....5-23

5B.1 Introduction5-23

5B.2 Outlet Control.....5-23

5B.3 Inlet Control.....5-23

5B.4 Common Entrances.....5-23

5B.5 Capacity Determinations5-24

5B.6 Improved Inlets.....5-24

5B.7 Beveled-edged Inlets.....5-25

5B.8 Side-tapered Inlets5-25
 5B.9 Slope-tapered Inlets5-26
 5B.10 Improved Inlet Performance5-26
 Appendix 5C Conventional Nomographs5-28

CHAPTER 6 – STORAGE AND DETENTION

6.1 Overview6-1
 6.1.1 Introduction.....6-1
 6.1.2 Detention Facilities Used for Credits.....6-1
 6.1.3 Location Considerations6-1
 6.1.4 Detention and Retention6-1
 6.1.5 Computer Programs6-1
 6.2 Design Criteria6-2
 6.2.1 Introduction.....6-2
 6.2.2 General Criteria6-2
 6.2.3 Release Rate.....6-2
 6.2.4 Storage.....6-2
 6.2.5 Storage within Parking Areas.....6-2
 6.2.6 Grading and Depth of Earthen Storage Facility.....6-3
 6.2.7 Outlet Works.....6-3
 6.2.8 Off-site Storm Water Detention Facilities6-3
 6.2.9 Dam Safety Law6-4
 6.3 General Procedure6-4
 6.3.1 Data Needs6-4
 6.3.2 Procedure.....6-5
 6.4 Outlet Hydraulics6-6
 6.4.1 Outlets6-6
 6.4.2 Sharp-Crested Weirs6-6
 6.4.3 Broad-Crested Weirs6-6
 6.4.4 V-Notch Weirs6-7
 6.4.5 Orifices6-8
 6.5 Construction and Maintenance Considerations6-8
 6.6 Underground Storage.....6-9
 Appendix 6A Calculations6-10

6A.1 Routing Calculations6-10

Appendix 6B Example Problem6-3

6B.1 Example6-13

6B.2 Inflow Hydrograph6-13

6B.3 Stage-Storage Curve.....6-13

6B.4 Stage-Discharge Curve6-13

6B.5 Storage Characteristics Curve.....6-13

6B.6 Routing Calculations6-13

CHAPTER 7 – ENERGY DISSIPATION

7.1 Overview7-1

7.2 Design Criteria7-1

7.2.1 General Criteria7-1

7.2.2 Erosion Hazards7-1

7.2.3 Recommended Dissipators.....7-1

7.3 Riprap Aprons7-2

7.3.1 Uses7-2

7.3.2 Procedure.....7-2

7.3.3 Design Considerations.....7-5

7.4 Example Problems7-6

7.4.1 Example 17-6

7.4.2 Example 27-6

LIST OF FIGURES

CHAPTER 2

2-1	NRCS (SCS) Type II Rainfall Distribution.....	2-12
2-2	Solution of Runoff Equation.....	2-12
2A-1	Composite CN with Connected Impervious Area.....	2-24
2A-2	Composite CN with Unconnected Impervious Area.....	2-24

CHAPTER 3

3-1	Manning's n Related to Velocity, Hydraulic Radius and Vegetal Retardance.....	3-10
3-2	K_b Factor for Maximum Shear Stress on Channel Bends.....	3-19
3-3	Protection Length, L_p , Downstream from Channel Bend.....	3-20
3-4	Riprap Lining Bend Correction Coefficient.....	3-21
3-5	Riprap Lining Specific Weight Correction Coefficient.....	3-22
3-6	Riprap Lining d_{30} Stone Size—Function of Mean Velocity and Depth.....	3-23
3-7	Riprap Lining Thickness Adjustment for $d_{85}/d_{15} = 1.0$ to 2.3	3-24
3A-1	Energy in Open Channel Flow.....	3-26
3A-2	Definition Sketch of Specific Energy.....	3-27
3C-1	Trapezoidal Channel Capacity Chart.....	3-33
3D-1	Open Channel Geometric Relationships for Various Cross Sections.....	3-36

CHAPTER 4

4-1	Grate Inlet Coefficient - On Grade.....	4-8
4-2	Standard Drop Inlet Grate NCDOT Std. 840.16 (2012).....	4-11
4-3	Type 'E' Grate NCDOT Std. 840.03 (2012).....	4-11
4-4	Summary of Energy Losses.....	4-18
4-5	Energy and Hydraulic Grade Lines for Storm Drainage Under Constant Discharge.....	4-19
4-6	Storm Drainage Computation Form.....	4-25
4-7	Hydraulic Grade Line Computation Form.....	4-26
4-8	Hypothetical Storm Drain System Layout.....	4-28

CHAPTER 5

5-1 Headwater Water Depth for Concrete Pipe Culverts With Inlet Control - English Units... 5-13

5-2 Head for Concrete Pipe Culverts Flowing Full; $n=0.012$ 5-14

5-3 Culvert Design Form - Metric Version..... 5-19

5A-1 Critical Depth for Circular Pipe 5-21

5A-2 Critical Depth for Rectangular Section..... 5-22

5C-1 Head for Concrete Box Culverts Flowing Full..... 5-28

5C-2 Head for Structural Plate Corr. Metal Pipe Culverts Flowing Full..... 5-29

5C-3 Headwater Depth for Box Culverts with Inlet Control 5-30

5C-4 Headwater Depth for CM Pipe Culverts with Inlet Control..... 5-31

5C-5 Headwater Depth for Concrete Pipe Culverts with Inlet Control 5-32

CHAPTER 6

6-1 Example Stage-Storage Curve 6-4

6-2 Example Stage-Discharge Curve 6-5

6-3 Sharp-Crested Weir 6-6

6-4 Broad-Crested Weir 6-7

6-5 V-Notch Weir..... 6-7

6A-1 Storage Characteristics Curve 6-11

CHAPTER 7

7-1 Design of Riprap Apron Under Minimum Tailwater Conditions 7-3

7-2 Design of Riprap Apron Under Maximum Tailwater Conditions 7-4

7-3 Riprap Apron Schematic for Uncertain Tailwater Conditions 7-4

LIST OF TABLES

CHAPTER 2

2-1	Recommended Hydrologic Methods.....	2-2
2-2	Rainfall Intensities - Charlotte, North Carolina	2-5
2-3	Frequency Factors for Rational Formula	2-7
2-4	Recommended Runoff Coefficient Values.....	2-8
2-5	1-Year, 24-hour Precipitation Data	2-13
2-6	2-Year Precipitation Data: 2-Year, 6-Hour Balanced Storm Rainfall Distribution.....	2-13
2-7	10-Year Precipitation Data: 10-Year, 6-Hour Balanced Storm Rainfall Distribution.....	2-14
2-8	25-Year Precipitation Data: 25-Year, 6-Hour Balanced Storm Rainfall Distribution.....	2-14
2-9	50-Year Precipitation Data: 50-Year, 6-Hour Balanced Storm Rainfall Distribution.....	2-15
2-10	100-Year Precipitation Data: 100-Year, 6-Hour Balanced Storm Rainfall Distribution.....	2-15
2-11	Hydrologic Soil Groups for Charlotte-Mecklenburg	2-16
2-12	Runoff Curve Numbers	2-18
2-13	Roughness Coefficients (Manning's n) ¹ for Sheet Flow	2-21
2A-1	Composite Curve Numbers	2-25

CHAPTER 3

3-1	Recommended Manning's n Values for Natural Channels.....	3-5
3-2	Recommended Manning's n Values for Artificial Channels.....	3-6
3-3	Maximum Allowable Design Velocities for Vegetated Channels	3-8
3-4	Manning's n Values for Structural Channel Linings.....	3-11
3-5	Retardance Classification For Vegetal Covers.....	3-12
3-6	Maximum Velocities for Unprotected Soils In Existing Channels	3-13
3-7	Manning's Roughness Coefficient for Temporary Lining Materials	3-15
3-8	Permissible Shear Stresses for Riprap and Temporary Liners	3-16
3B-1	Best Hydraulic Section Coefficients.....	3-30
3D-1	Critical Depth Equations for Uniform Flow in Channel Cross Sections	3-35

CHAPTER 4

4-1 Inlet Capacity Chart 4-6

4-2 Values of K for Change in Direction of Flow in Lateral 4-15

4-3 Manning's *n* Values..... 4-22

4-4 Hydrologic Data 4-27

4-5 Storm Drain System Calculations 4-27

CHAPTER 5

5-1 Inlet Coefficients 5-6

5B-1 Comparison of Inlet Performance for 6 ft x 6 ft Concrete Box Culvert 5-27

CHAPTER 6

6B-1 Storage Facility Routing Calculations 6-14

The City of Charlotte and Mecklenburg County are committed to making our services and programs accessible to all. Upon request, auxiliary aids, written materials in alternative formats, language access and other reasonable accommodations or modifications will be provided. To make a request, please email StormWaterServicesInfo@charlottenc.gov or call 704-336-4456.